

**SRI LANKA JOURNAL OF  
TEA SCIENCE**  
(upto 1985 Tea Quarterly)

**CUMULATIVE INDEX**

**VOLUMES 52 – 65  
1983 – 1997**



Compiled by  
Wasantha Illangantilake  
Librarian  
TRI


Tea Research Institute of Sri Lanka  
Talawakelle  
Sri Lanka

2003

**SRI LANKA JOURNAL OF  
TEA SCIENCE**  
(upto 1985 Tea Quarterly)

**CUMULATIVE INDEX**

**VOLUMES 52 – 65  
1983 – 1997**



Compiled by  
Wasantha Illangantilake  
Librarian  
TRI

Tea Research Institute of Sri Lanka  
Talawakelle  
Sri Lanka

2003

# CONTENTS

	<i>page</i>
Volume No. relating to the year of publication	01
Contributors to the Journal	05
Author index with titles of papers	16
Classified index to titles of papers-summary	53
Classified index to title of papers	67
Subject index	97



## FOREWORD

The Tea Research Institute of Sri Lanka came into existence in 1926 and published the first volume of *The Tea Quarterly* in 1928 with the objective of providing a source of information relating to all aspects of cultivation and manufacture of tea. Since inception, the journal has been published continuously, until 1984 and printed 53 volumes.

The scope of the publication has since changed 1984 from general articles to more technical ones containing results of experiments conducted by this Institute. The quality of scientific papers are kept in line with the standard of publications of the international scientific community. The presentation of papers to satisfy the lay planting community, as well as the international scientific community sometimes posed problems to the former.

As a compromise, in 1985, it was decided to publish scientific articles in the *Sri Lanka Journal of Tea Science* and other popular articles of current interest to the planting community in a publication titled '*Tea Bulletin*'. Although the first volume of *Sri Lanka Journal of Tea Science* was published, as a replacement of the *Tea Quarterly*, it was decided to continue with the volume series, for easy reference.

This present index covers volumes 52 and 53 of *Tea Quarterly* and volumes 54 to 65 of *Sri Lanka Journal of Tea Science*. The efforts of Ms Wasantha Illangatilake in compiling these indices, is greatly appreciated.

**Dr M T Ziyad Mohamed**  
**DIRECTOR**

September 2003

**VOLUME NO. RELATING TO  
YEAR OF PUBLICATION**

**TEA QUARTERLY**

<i>Year</i>	<i>Volume</i>
1928 .....	1
1929 .....	2
1930 .....	3
1931 .....	4
1932 .....	5
1933 .....	6
1934 .....	7
1935 .....	8
1936 .....	9
1937 .....	10
1938 .....	11
1939 .....	12
1940 .....	13
1941 .....	14
1942 .....	15
1943 .....	16
1944 .....	17
1946 .....	18

1947	.....	19
1949	.....	20
1950	.....	21
1951	.....	22
1952	.....	23
1953	.....	24
1954	.....	25
1955	.....	26
1956	.....	27
1957	.....	28
1958	.....	29
1959	.....	30
1960	.....	31
1961	.....	32
1962	.....	33
1963	.....	34
1964	.....	35
1965	.....	36
1966	.....	37
1967	.....	38
1968	.....	39
1969	.....	40
1970	.....	41
1971	.....	42

1972	.....	43
1974	.....	44
1975	.....	45
1976	.....	46
1977	.....	47
1979	.....	48
1980	.....	49
1981	.....	50
1982	.....	51
1983	.....	52
1984	.....	53

**SRI LANKA JOURNAL OF TEA SCIENCE**

1985	.....	54
1986	.....	55
1987	.....	56
1988	.....	57
1989	.....	58
1990	.....	59
1991	.....	60
1992	.....	61
1993	.....	62
1994	.....	63

1996	.....	64
1997	.....	65

- After 1985 the title of the journal (Tea Quarterly) was changed to Sri Lanka Journal of Tea Science
- Not published in 1945, 1948, 1973, 1978, 1995, 1998, 1999

**CONTRIBUTORS TO THE JOURNAL  
(1983-1997)**

	<u>Year</u>	<u>Volume</u>	<u>Page</u>
ABEYSEKARA, A R	1988	57 (2)	68
ABEYSEKARA, U P	1997	65 (1/2)	67
	1997	65 (1/2)	76
ABEYSINGHE, L S	1997	65 (1/2)	34
ADDAICKAN, S	1983	52 (2)	52
	1987	56 (1)	05
	1987	56 (1)	22
AGARWAL, BEENA	1989	58 (1)	64
AHAMED, M	1992	61 (1)	24
	1994	63 (2)	70
AHMED, N	1991	60 (2)	70
ALAM, BADRUL, A F M	1985	54 (2)	54
ALAWATTEGAMA, T	1988	57 (2)	55
AMARAKOON, A M T	1990	59 (1)	24
	1991	60 (1)	36
AMARASEKARA, A R	1986	55 (1)	28
	1986	55 (2)	77
	1986	55 (2)	84
	1986	55 (2)	89
	1997	65 (1/2)	76
AMARASINGHE, L D	1990	59 (1)	09
	1993	62 (1)	11
	1993	62 (1)	16
	1993	62 (2)	66
ANANDACOOMARASWAMY, A	1985	54 (2)	84
	1986	55 (1)	28

	1986	55 (2)	84
	1986	55 (2)	89
	1987	56 (1)	41
	1988	57 (1)	11
	1991	60 (2)	46
	1991	60 (2)	64
	1997	65 (1/2)	76
ANANDACOOMARASWAMY, S	1986	55 (2)	77
	1987	56 (1)	35
	1990	59 (1)	04
	1990	59 (2)	52
	1991	60 (1)	04
	1997	65 (1/2)	11
ANANDAVIJAYAN, A	1987	56 (1)	41
	1989	58 (2)	111
ANPALAGAN, V T	1987	56 (2)	95
ARULPRAGASAM, P V	1983	52 (2)	52
	1984	53 (1/2)	04
	1986	55 (1)	44
	1987	56 (1)	05
	1987	56 (1)	22
	1988	57 (1)	16
	1988	57 (1)	20
	1990	59 (2)	62
BADYAL, J	1989	58 (1)	73
	1990	59 (1)	29
BAKER, RICHARD M	1991	60 (1)	04
BALAKRISHNAN, T	1990	59 (2)	52
	1992	61 (1)	04
BALASINGHAM, A	1997	65 (1/2)	11
BALASURIYA, J	1991	60 (2)	46
	1996	64 (1/2)	51
	1997	65 (1/2)	46
BASNAYAKE, B M N R	1991	60 (2)	46
BHAN, S	1990	59 (1)	29
BOTHEJU, W S	1987	56 (2)	83
	1989	58 (1)	40

CHACKO K	.....	1996	64 (1/2)	35
CHANDEL, K P S	.....	1990	59 (2)	89
CHAUDHURY, REKHA	.....	1990	59 (2)	89
CHOWDHURY, MUQTADIR	.....	1985	54 (2)	54
DAHANAYAKE, K D	.....	1986	55 (1)	14
DE SILVA M J	.....	1985	54 (1)	26
		1988	57 (2)	46
		1989	58 (1)	40
		1991	60 (1)	36
		1993	62 (1)	04
DE SILVA, M S D L	.....	1994	63 (1)	28
DE SILVA, W C A	.....	1994	63 (2)	46
		1994	63 (2)	59
		1996	64 (1/2)	43
EDIRIWEERA, D P	.....	1988	57 (2)	40
		1991	60 (1)	30
EDIRIWEERA, V L	.....	1986	55 (2)	71
EKANAYAKE, A	.....	1987	56 (1)	12
		1987	56 (2)	83
		1988	57 (2)	46
EKANAYAKE, P B	.....	1994	63 (1)	04
FERNANDO, V	.....	1983	52 (1)	31
		1988	57 (1)	05
FONSEKA, J P	.....	1990	59 (1)	37
FORDHAM, R	.....	1996	64 (1/2)	21
GALE SMITH B	.....	1997	65 (1/2)	46
GALAHITIYAWA, G	.....	1988	57 (2)	55
GAMAGE, A K	.....	1985	54 (2)	73
GEORGE, P J	.....	1996	64 (1/2)	35

GNANAPRAGASAM, N C	.....	1983	52 (1)	41
		1984	53 (1/2)	19
		1985	54 (1)	46
		1985	54 (2)	62
		1987	56 (2)	95
		1989	58 (1)	05
		1989	58 (2)	83
		1990	59 (2)	82
		1993	62 (2)	47
GOKALP, H Y	.....	1992	61 (2)	51
GOLDEN, D C	.....	1984	53 (1/2)	43
GOONATILAKE, R B	.....	1988	57 (1)	05
GUNARATNA, G P	.....	1997	65 (1/2)	11
GUNASEKARA, T S	.....	1992	61 (1)	31
		1994	63 (1)	19
GWYN, E	.....	1989	58 (1)	09
HAMID, F S	.....	1991	60 (2)	70
HERATH, H M G	.....	1985	54 (2)	84
		1986	55 (2)	89
HERATH, N L	.....	1986	55 (1)	04
		1989	58 (2)	111
		1990	59 (1)	24
		1991	60 (1)	36
		1993	62 (1)	04
		1996	64 (1/2)	05
HERATH, U B	.....	1989	58 (2)	83
HETTIARACHCHI, L S K	.....	1993	62 (2)	53
		1997	65 (1/2)	11
HIRIMBUREGAMA, K	.....	1997	65 (1/2)	05
HOLT, J	.....	1992	61 (1)	24
		1994	63 (2)	70
HOMINICK, W M	.....	1993	62 (1)	11
		1993	62 (1)	16
		1993	62 (2)	66

HUMBEL, R	.....	1984	53(1/2)	11
		1990	59(2)	65
ILLANGANTILAKE, S G	.....	1985	54(2)	84
JAYAKODY, J A A M	....	1994	63(1)	10
JAYASEKARA, A P D A	.....	1997	65(1/2)	67
JAYASINGHE, H D	.....	1985	54(1)	32
		1986	55(1)	14
JAYASINGHE, J A S K V	.....	1997	65(1/2)	67
JAYAWEERA, H	.....	1989	58(2)	111
JAYAWICKRAMA, P K	.....	1997	65(1/2)	67
JEBAMALAI, A S	.....	1987	56(2)	95
JEYACHANDRAN, I C R	.....	1989	58(1)	50
		1989	58(2)	104
JEYACHANDRAN, N	.....	1992	61(1)	04
JONES, GWYN E	.....	1989	58(1)	09
KANAGANATHAN, S	....	1987	56(1)	48
KANDIAH, S	.....	1986	55(2)	94
		1987	56(1)	48
KANTHASAMY, P	.....	1987	56(1)	12
KARIYAWASAM, W S	.....	1987	56(1)	12
		1987	56(2)	83
KATHIRAVETPILLAI, A	.....	1983	52(1)	21
		1983	52(1)	35
		1983	52(2)	56
		1985	54(1)	42
		1989	58(2)	118
		1992	61(2)	45
KHAN, A R	.....	1991	60(2)	70
KRISHNAPILLAI, S	.....	1983	52(1)	13
		1986	55(2)	71
		1988	57(2)	34

	1992	61 (1)	04
	1992	61 (2)	59
KRISHNARAJAH, P	1985	54 (2)	91
KUDAGAMAGE, S N	1987	56 (1)	41
	1991	60 (2)	46
KULASEGARAM, S	1983	52 (1)	21
	1983	52 (1)	35
	1983	52 (2)	56
	1991	60 (2)	76
KULATUNGA, S M	1987	56 (1)	05
	1987	56 (1)	22
KUMAR, P D S	1996	64 (1/2)	35
KUSTAMIYATI BAMBANG	1988	57 (2)	65
LAI, R D	1991	60 (2)	56
LAKHANPUL, SAMAN	1990	59 (2)	89
LAKSHMIE, M S D	1987	56 (1)	41
	1988	57 (1)	11
LATIFF, RAZIA	1986	55 (1)	44
	1988	57 (1)	16
	1988	57 (1)	20
LIYANAGE, A C	1988	57 (2)	46
	1993	62 (1)	32
	1997	65 (1/2)	58
MAINUDDIN AHMED	1993	62 (1)	25
MAINUL HUQ	1993	62 (1)	25
MANUELPILLAI, M E K	1984	53 (1/2)	19
MIR AHMAD ALI	1993	62 (1)	25
MISHRA, S K	1991	60 (1)	16
MISRA, S K	1990	59 (1)	29
MOHAMMAD ALI	1993	62 (1)	25

MOHAMED, M T ZIYAD	1986	55(1)	36
MOHOTTI, M	1993	62(2)	47
MOLLA, M M	1992	61(1)	15
MUKHOPADHYAY, A	1992	61(2)	39
MUMFORD, J D	1992	61(1)	24
	1994	63(2)	70
NAGHAULLA, S M	1996	64(1/2)	05
	1997	65(1/2)	34
NALLIAH, P	1984	53(1/2)	23
	1985	54(1)	11
NAS, S	1992	61(2)	51
NATHANIEL, R K	1985	54(1)	32
	1986	55(1)	14
NAVARATNE, S	1992	61(2)	59
OZDEMIR, F	1992	61(2)	51
PALLEMULLA, D	1992	61(2)	45
	1992	61(2)	59
PARAMASIVAM, S	1984	53(1/2)	23
PEIRIS, H S N	1987	56(2)	58
	1992	61(1)	20
PERERA, CHRISANTHA	1985	54(1)	26
PERERA, E R	1988	57(2)	68
PERERA, M B A	1984	53(1/2)	11
	1989	58(2)	92
	1990	59(1)	37
PERERA, P S F	1997	65(1/2)	58
PREMATUNGE, A K	1990	59(2)	82
PUNYASIRI, P A N	1985	54(1)	42
	1985	54(2)	73

	1986	55 (1)	28
	1988	57 (1)	11
	1989	58 (2)	118
	1990	59 (1)	24
	1993	62 (1)	04
	1993	62 (1)	32
	1996	64 (1/2)	05
	1997	65 (1/2)	58
RAJASEKAR, R	1989	58 (1)	25
RAJASEKARAN, P	1996	64 (1/2)	12
RAMAKRISHNA, P	1991	60 (2)	56
	1996	64 (1/2)	35
RANAMUKAARACHCHI, S L	1994	63 (1)	28
RANAWEERA, A S	1988	57 (1)	24
	1989	58 (1)	56
	1991	60 (1)	22
RASHID, A	1985	54 (2)	54
RATNAYAKE, R M A	1992	61 (1)	31
SAMARASINGHAM, S	1988	57 (2)	65
	1990	59 (1)	16
SAMARASINGHE, SEETHA M	1994	63 (2)	78
SAMARAWEERA, D S A	1985	54 (2)	78
	1988	57 (1)	24
	1988	57 (2)	40
	1988	57 (2)	55
	1989	58 (1)	56
	1989	58 (2)	87
	1991	60 (1)	22
SANDANAM, S	1984	53 (1/2)	43
	1985	54 (2)	73
SANNIGRAHI, S	1992	61 (2)	39
SARATHCHANDRA, K	1997	65 (1/2)	05
SARATHCHANDRA, T M	1988	57 (2)	50
	1990	59 (2)	62
	1997	65 (1/2)	05

SARWAR, M	.....	1985	54 (1)	18
SENANAYAKE, Y D A	.....	1991	60 (2)	76
SENARATNE, T S N	.....	1991	60 (2)	64
SENAVIRATNE, POORNA	.....	1988	57 (1)	16
		1988	57 (1)	20
SHANMUGARAJAH, V	.....	1983	52 (1)	35
		1991	60 (2)	76
		1992	61 (2)	45
		1994	63 (2)	94
SHARMA, D K	.....	1991	60 (1)	16
SHARMA, K L	.....	1991	60 (1)	16
SHARMA, V S	.....	1989	58 (1)	25
SINCLAIR, A H	.....	1988	57 (2)	73
		1993	62 (2)	53
SINGH, I D	.....	1990	59 (2)	89
SIVAPALAN, K	.....	1983	52 (1)	31
		1983	52 (2)	84
		1984	53 (1/2)	47
		1985	54 (1)	26
		1986	55 (1)	04
		1986	55 (2)	58
SIVAPALAN, P	.....	1983	52 (1)	05
		1983	52 (2)	81
		1985	54 (1)	04
		1985	54 (1)	23
		1985	54 (2)	62
		1986	55 (2)	53
		1988	57 (2)	34
		1990	59 (1)	04
		1993	62 (2)	41
SIVASUBRMANIAM, S	.....	1984	53 (1/2)	43
SIVENDIRAN, M	.....	1991	60 (2)	64
SUD, R G	.....	1989	58 (1)	73
		1990	59 (1)	29

SURESHKUMAR, B	....	1993	62 (2)	47
THEVATHASAN, A	....	1985	54 (2)	78
		1987	56 (2)	87
		1989	58 (2)	87
THEVADASAN, T	....	1987	56 (2)	87
THIRUGNANASUNDARAN, K	....	1987	56 (2)	67
		1988	57 (2)	68
		1989	58 (1)	50
		1989	58 (2)	104
		1990	59 (1)	09
TURNER, S T D	....	1994	63 (1)	10
UDUMULLA, G P	....	1993	62 (2)	47
UPALI, P D	....	1988	57 (2)	50
		1990	59 (2)	62
VITANA, S B	....	1997	65 (1/2)	34
VITHANA, D W	....	1994	63 (1)	04
VITARANA, S I	....	1997	65 (1/2)	34
WADASINGHE, G	....	1983	52 (2)	64
		1986	55 (2)	94
		1987	56 (2)	58
WAHEED, A	....	1991	60 (2)	70
WANIGASUNDARA, W A D P	....	1989	58 (1)	09
WARNASIRI, H A P	....	1997	65 (1/2)	11
WATSON, M	....	1986	55 (1)	28
WEERASINGHE, D K	....	1986	55 (1)	36
WETTASINGHE, D T	....	1983	52 (2)	64
		1986	55 (2)	94
WICKRAMASINGHE, K N	....	1984	53 (1/2)	23
		1985	54 (1)	11
		1986	55 (1)	22
		1986	55 (2)	77
		1988	57 (1)	05

WICKRAMASINGHE, V	....	1986	55(1)	36
WIJEDASA, M A	....	1984	53(1/2)	43
		1985	54(1)	11
WIJERATNE, M A	....	1994	63(1)	04
		1996	64(1/2)	21
WIJETUNGA, W M S	....	1990	59(2)	52
WIJEWARDENA, R G A	....	1988	57(2)	50
WILLARACHCHI, H K	....	1988	57(2)	55
WILSON, M J	....	1993	62(2)	53
WIMALADASA, G D	....	1986	55(1)	22
		1988	57(2)	73
YAMANISHI, TEI	....	1989	58(1)	40
ZIYAD MOHAMED, M T	....	1997	65(1/2)	58

## AUTHOR INDEX WITH TITLES OF PAPERS

	<i>Vol</i>	<i>Page</i>
<b>A</b>		
<b>ABEYSEKARA, A R</b>		
1988 Preliminary observations on susceptibility of tea clones to white grub, <i>Holotrichia disparilis</i> Arrow (Coleoptera:Scrabaeidae) attack	57(2)	68
<b>ABEYSEKARA, U P</b>		
1997 Effect of sprays of plant growth regulator hydrogen cyanamide (dormax) on yield of tea	65(1/2)	67
1997 The effect of post prune operations on soil physical properties and yield of tea	65(1/2)	76
<b>ABEYSINGHE, L S</b>		
1997 Environment friendly pest control agents:Use of BIO 1020 to control white grub damage on tea	65(1/2)	34
<b>ADDAICKAN, S</b>		
1983 Soft Root Rot-a new root disease of tea	52(2)	52
1987 An inexpensive and effective method for the control of red root disease of tea	56(1)	05
1987 Recent developments in the chemical control of blister blight leaf disease of tea-effectiveness of EBI fungicides	56(1)	22
<b>AGARWAL, BEENA</b>		
1989 Factors affecting quality of tea during processing	58(1)	64

**AHAMED, M**

1992	A population model of <i>Helopeltis</i> in Bangladesh tea	61(1)	24
1994	System analysis approach in tea pest management in Bangladesh	63(2)	70

**AHMED, N**

1991	Adventitious root formation in tea cuttings planted on different dates	60(2)	70
------	--	-------	----

**ALAM, A F M BADRUL**

1985	Studies on the progenies of a cross between diploid and tetraploid tea	54(2)	54
------	--	-------	----

**ALAWATTEGAMA, T**

1988	Removal of stalk in leafy grades of tea by colour mismatch technique	57(2)	55
------	--	-------	----

**AMARAKOON, A M T**

1990	An improved procedure for the isolation of flavanols from tea leaves	59(1)	24
1991	Chemical Constituents in different parts of fresh tea flush and their contribution to overall quality in made tea	60(1)	36

**AMARASEKARA, A R**

1986	The influence of methods of weed management in tea on the surface layer soil properties of an ultisol	55(1)	28
1986	Effect of urea and ammonium sulphate on sulphur nutrition of tea	55(2)	77
1986	Effect of soil reconditioning on growth and yield of tea	55(2)	84
1986	Economics of rehabilitating tea land before replanting: some exploration	55(2)	89

1997 The effect of post prune operations on soil physical properties and yield of tea 65(1/2) 76

**AMARASINGHE, L D**

1990 Clonal susceptibility and population dynamics of tea red spider mite, *Oligonychus coffeae* Nietner (Acarina: Tetranychidae) under laboratory conditions 59(1) 09

1993 Entomopathogenic nematodes (Rhabditida: Heterorhabditidae and Steinernematidae) in Sri Lanka as bio-control agents 62(1) 11

1993 Efficacy of entomopathogenic nematodes to control up-country live-wood termite, *Postelectrotermes militaris* 62(1) 16

1993 Potential of using entomopathogenic nematodes to control up-country live-wood termite (*Postelectrotermes militaris*) 62(2) 66

**ANANDACOOMARSWAMY, A**

1985 Economics feasibility of trickle irrigation in tea:some preliminary results 54(2) 84

1986 The influence of methods of weed management in tea on the surface layer soil properties of an ultisol 55(1) 28

1986 Effect of soil reconditioning on growth and yield of tea 55(2) 84

1986 Economics of rehabilitating tea land before replanting:some exploration 55(2) 89

1987 Effect of pre-emergent herbicides on N-mineralization and microbial population 56(1) 41

1988 Effect of inter-planting dadaps (*Erythrina lithosperma*) in tea (*Camellia sinensis*) on soil physical properties of an ultisol 57(1) 11

1991	Effect of plant population on water use of mature clonal tea	60(2)	46
1991	A method to determine potential evapotranspiration rates in tea plantations	60(2)	64
1997	The effect of post prune operations on soil physical properties and yield of tea	65(1/2)	76

**ANANDACOMARASWAMY, S**

1986	Effect of urea and ammonium sulphate on sulphur nutrition of tea	55(2)	77
1987	Effect of increasing levels of phosphate on sulphur mineralization of an ultisol under jungle and tea	56(1)	35
✓ 1990	Aluminium in Black tea	59(1)	04
✓ 1990	Macro and micro nutrients in Sri Lankan black tea and brew	59(2)	52
1991	Effect of increasing level of lime (CaCO <sub>3</sub> ) on soil chemical properties of acid soils	60(1)	04
✓ 1997	Mineral composition in relation to leaf maturity from 2000, 3000 and 4000 clonal series: Leaf analysis as a guide in tea crop nutrition	65(1/2)	11

**ANANDAVIJAYAN, A**

1987	Effect of pre-emergent herbicides on N-mineralization and microbial population	56(1)	41
1989	Effect of sifting of dhool during fermentation on quality of manufactured black tea	58(2)	111

**ANPALAGAN, V T**

1987	Control of root-lesion nematode, <i>Pratylenchus loosi</i> in contaminated tea nursery plants	56(2)	95
------	---	-------	----

**ARULPRAGASAM, P V**

1983	Soft Root rot - a new root disease of tea	52(2)	52
1984	Ring-barking of young tea plants in new clearings	53(1/2)	04
1986	Studies on the tissue culture of tea ( <i>Camellia sinensis</i> (L.) O. Kuntze). 1. Development of a culture method for multiplication of shoots	55(1)	44
1987	An inexpensive and effective method for the control of red root disease of tea	56(1)	05
1987	Recent development in the chemical control of blister blight leaf disease of tea-effectiveness of EBI fungicides	56(1)	22
1988	Studies on the tissue culture of tea ( <i>Camellia sinensis</i> (L.)O.Kuntze). 2. Rooting of shoots produced in culture	57(1)	16
1988	Studies on the tissue culture of tea ( <i>Camellia sinensis</i> (L.) O. Kuntze) 3. Regeneration of plants from cotyledon callus culture	57(1)	20
1990	Progress towards the commercial propagation of tea by tissue culture techniques	59(2)	62

**B****BADYAL, J**

1989	Varietal and seasonal variations in chemical constituents of tea ( <i>Camellia sinensis</i> (L.) O. Kuntze) in Himachal Pradesh	58(1)	73
1990	Estimation and seasonal variations of macro and micro nutrients in tea of Himachal Pradesh	59(1)	29

**BAKER, RICHARD M**

- 1991 Effect of increasing levels of lime  
(CaCO<sub>3</sub>) on soil chemical properties of  
acid soils 60(1) 04

**BALAKRISHNAN T**

- 1990 Macro and micro nutrients in Sri  
Lankan black tea and tea brew 59(2) 52
- 1992 Effect of dolomite on soil reaction  
and nutrient availability in tea  
soils 61(1) 04

**BALASINGHEM A**

- 1997 Mineral composition in relation to  
leaf maturity from 2000, 3000 and  
4000 clonal series: Leaf analysis  
as a guide in tea crop nutrition 65(1/2) 11

**BALASURIYA, J**

- 1991 Effect of plant population on water  
use of mature clonal tea 60(2) 46
- 1996 Effect of altitude on shoot development  
of clonal tea with special reference to  
clonal selection and harvesting  
intervals 64(1/2) 51
- 1997 Effect of saturation vapour pressure  
deficit of air on shoot growth of  
clonal tea (*Camellia sinensis* L.) under  
controlled environmental conditions 65(1/2) 46

**BASNAYAKE, B M N R**

- 1991 Effect of plant population on water  
use of mature clonal tea 60(2) 46

**BHAN, S**

- 1990 Estimation and seasonal variations of  
macro and micro nutrients in tea of  
Himachal Pradesh 59(1) 29

**BOTHEJU, W S**

- 1987 Extent of non-enzymic oxidation in  
black tea processing 56(2) 83
- 1989 An index for assessing the quality  
of Uva seasonal black tea 58(1) 40

**C****CHACKO, K**

- 1996 Heat pipe heat exchangers for waste  
heat recovery 64(1/2) 35

**CHANDEL, K P S**

- 1990 Germination and desiccation tolerance  
of tea (*Camellia sinensis*(L.) O. Kuntze)  
seeds and feasibility of  
cryopreservation (Short Communication) 59(2) 89

**CHAUDHURY, REKHA**

- 1990 Germination and desiccation tolerance of  
tea (*Camellia sinensis*(L.) O. Kuntze)  
seeds and feasibility of cryopreservation  
(Short Communication) 59(2) 89

**CHOWDHURY, MUQTADIR**

- 1985 Studies on the progenies of a cross  
between diploid and tetraploid tea 54(2) 54

**D****DAHANAYAKE, K D**

- 1986 Effect of harvesting on the growth  
and yield of low grown clonal tea 55(1) 14

**DE SILVA, JAYANTHI**

1985	Tea constituents and export standards of Sri Lanka teas	54 (1)	26
1988	Analysis of major fatty acid in tea	57 (2)	46
1989	An index for assessing the quality of Uva seasonal black tea	58 (1)	40
1991	Chemical Constituents in different parts of fresh tea flush and their contribution to overall quality in made tea	60 (1)	36
1993	Correlation of major flavanols of some tea clones with quality of tea	62 (1)	04

**DE SILVA, M S D LUXMEI**

1994	Management of <i>Crassocephalum crepidiodes</i> and <i>Erigeron sumatrensis</i> in High-grown tea	63 (1)	28
------	---	--------	----

**DE SILVA, W C A**

1994	Status review of energy utilization by the tea industry in Sri Lanka	63 (2)	46
1994	Some energy saving achievements of the tea industry in Sri Lanka	63 (2)	59
1996	Thermal energy demands of the tea industry and the role of fuelwood trees in a self sustaining environment	64 (1/2)	43

**E****EDIRIWEERA, D P**

1988	A Low cost voltage stabilizer for infra-red tea moisture meters used in tea factories	57 (2)	40
1991	Electronic Servocontrol for withering troughs	60 (1)	30

**EDIRIWEERA, V L**

1986 Influence of levels of nitrogen and potassium fertilizers on chlorophyll content in mature clonal tea leaves 55(2) 71

**EKANAYAKE, A**

1987 A study of micro-organisms in black tea and their activities associated with storage 56(1) 12

1987 Extent of non-enzymic oxidation in black tea processing 56(2) 83

1988 Analysis of major fatty acids in tea 57(2) 46

**EKANAYAKE, P B**

1994 Effect of different mulching materials on soil properties and growth of young tea 63(1) 04

**F****FERNANDO, V**

1983 Humified phenol-rich plant residues and soil urease activity 52(1) 31

1988 Fate of biuret in tea soils 57(1) 05

**FONSEKA, J P**

1990 Assessment of tea area in Sri Lanka 59(1) 37

**FORDHAM, R**

1996 Effects of environmental factors on growth and yield of tea (*Camellia sinensis* L.) in the low-country wet zone of Sri Lanka. 64(1/2) 21

**G****GALAHITIYAWA, G**

- 1988 Removal of stalk in leafy grades of tea by colour mismatch technique 57(2) 55

**GAIL SMITH B**

- 1997 Effect of saturation vapour pressure deficit of air on shoot growth of clonal tea (*Camellia sinensis* L.) under controlled environmental conditions 65(1/2) 46

**GAMAGE, A K**

- 1985 Use of Oxyfluorfen as a pre-emergent weedkiller in young tea 54(2) 73

**GNANAPRAGASAM, N C**

- 1983 Incidence of nematode damage in the mid-country caused by the burrowing nematode, *Radopholus similis* (Short Communication) 52(1) 41
- 1984 Influence of inoculum level and temperature on the population build-up and pathogenicity of the Root-lesion nematode (*Pratylenchus loosi* Loof) of tea 53(1/2) 19
- 1985 The strategy for replanting eelworm infested areas (Short Communication) 54(1) 46
- 1985 Dietary amino acid requirements of the tea tortrix, *Homona coffearia* Nietner (Lepidoptera:Tortricidae) reared *in vitro* 54(2) 62
- 1987 Control of root-lesion nematode, *Pratylenchus loosi* in contaminated tea nursery plants 56(2) 95
- 1989 Varietal responses of pepper to infestation by the burrowing nematode, *Radopholus similis* 58(1) 05

1989	Pathogenicity of the burrowing nematode, <i>Radopholus similis</i> to young tea at different initial density	58(2)	83
1990	<i>In vitro</i> culturing of the burrowing nematode <i>Radopholus similis</i> , a serious root pest of tea, on tissue culture raised from carrot and ginger	59(2)	82
1993	Effect of "Jawan" a neem based natural pesticide in controlling nematode pests of tea	62(2)	47
<b>GOKALP, H Y</b>			
1992	Effect of rolling method on physical characteristics of rolled tea leaves	61(2)	51
<b>GEORGE, P J</b>			
1996	Heat pipe heat exchangers for waste heat recovery	64(1/2)	35
<b>GOLDEN, D C</b>			
1984	Inhibitory effects of commercial potassium chloride on the nitrification rates of added ammonium sulphate in an acid red yellow podzolic soil (Short Communication)	53(1/2)	43
<b>GOONATILAKE, R B</b>			
1988	Fate of biuret in tea soils	57(1)	05
<b>GUNARATNE, G P</b>			
1997	Mineral composition in relation to leaf maturity from 2000, 3000 and 4000 clonal series: Leaf analysis as a guide in tea crop nutrition .	65(1/2)	11
<b>GUNASEKARA, T S</b>			
1992	Effect of pH of copper fungicides on germination of <i>Exobasidium vexans</i>	61(1)	31

1994	Isolation and enumeration of microbial inhabitants of tea phylloplane	63(1)	19
------	---	-------	----

**H**

**HAMID, F S**

1991	Adventitious root formation in tea cuttings planted in different dates	60(2)	70
------	--	-------	----

**HERATH, H M G**

1985	Economics feasibility of trickle irrigation in tea: some preliminary results	54(2)	84
------	--	-------	----

1986	Economics of rehabilitating tea land before replanting :some exploration	55(2)	89
------	--	-------	----

**HERATH, N**

1986	Tea cream-a complex story	55(1)	04
------	---------------------------	-------	----

1989	Effect of sifting of dhool during fermentation on quality of manufactured black tea	58(2)	111
------	---	-------	-----

1990	An improved procedure for the isolation of flavanols from tea leaves	59(1)	24
------	--	-------	----

1991	Chemical constituents in different parts of fresh tea flush and their contribution to overall quality in made tea	60(1)	36
------	---	-------	----

1993	Correlation of major flavanols of some tea clones with quality of tea	62(1)	04
------	---	-------	----

1996 A preliminary study of the phytoalexins produced in the tea leaf in relation to the blister blight leaf disease caused by *Exobasidium Vexans massee* of tea 64(1/2) 05

**HERATH, U B**

1989 Pathogenicity of the burrowing nematode, *Radopholus similis* to young tea at different initial density 58(2) 83

**HETTIARACHCHI, L S K**

1993 Mineralogy in the clay and silt fractions of Sri Lankan acid tea soils from dolomitic and non-dolomitic sites in relation to magnesium fertilizer applications 62(2) 53

1997 Mineral composition in relation to leaf maturity from 2000, 3000 and 4000 clonal series: Leaf analysis as a guide in tea crop nutrition. 65(1/2) 11

**HIRIMBUREGAMA, K**

1997 Root formation on *in vitro* micropropagated shoots of *Camellia sinensis* L. 65(1/2) 05

**HOLT, J**

1992 A population model of *Helopeltis* in Bangladesh tea 61(1) 24

1994 System analysis approach in tea pest management in Bangladesh 63(2) 70

**HOMINICK, W M**

1993 Entomopathogenic nematodes (Rhabditida: Heterorhabditidae and Steinernematidae) in Sri Lanka as bio-control agents 62(1) 11

1993 Efficacy of entomopathogenic nematodes to control up-country live-wood termite, *Postelectrotermes militaris* 62(1) 16

1993 Potential of using entomopathogenic nematodes to control up-country live-wood termite (*Postelectrotermes militaris*) 62(2) 66

**HUMBEL, R**

1984 Comparative study of the relationship of tea yields and area variations due to slopes in hilly terrain using aerial photographs and survey maps 53(1/2) 11

1990 Decreasing extent of tea plantations. Chance for Agricultural diversification or ecological threat? 59(2) 65

**I**

**ILLANGANTILAKE, S G**

1985 Economics feasibility of trickle irrigation in tea:some preliminary results 54(2) 84

**J**

**JAYAKODY, J A A M**

1994 Application of geographical information systems to the tea industry 63(1) 10

**JAYASEKARA, A P D A**

1997 Effect of sprays of plant growth regulator hydrogen cyanamide (dormax) on yield of tea 65(1/2) 67

**JAYASINGHE, H D**

1985 Studies on methods of bringing clonal tea into bearing in the Low-country of Sri Lanka 54(1) 32

1986 Effect of harvesting on the growth  
and yield of low grown clonal tea 55(1) 14

**JAYASINGHE, J A S K V**

1997 Effect of sprays of plant growth  
regulator hydrogen cyanamide  
(dormax) on yield of tea 65(1/2) 67

**JAYAWEERA, H**

1989 Effect of sifting of dhool during  
fermentation on quality of  
manufactured black tea 58(2) 111

**JAYAWICKRAMA, P K**

1997 Effect of sprays of plant growth  
regulator hydrogen cyanamide  
(dormax) on yield of tea 65(1/2) 67

**JEBAMALAI, A S**

1987 Control of root-lesion nematode,  
*Pratylenchus loosi* in contaminated tea  
nursery plants 56(2) 95

**JEYACHANDRAN, I C R**

1989 Recent observations on resistance  
and susceptibility of tea clones  
to the shot-hole borer beetle,  
*Xyleborus fornicatus* Eichh.  
(Coleoptera: Scolytidae) 58(1) 50

1989 Distinctive morphological characters  
of termites in high and mid grown tea  
in Sri Lanka 58(2) 104

**JEYACHANDRAN, N**

1992 Effect of dolomite on soil reaction  
and nutrient availability in tea  
soils 61(1) 04

**JONES, GWYN E**

- 1989 An evaluation of sources of information used by tea plantation in Sri Lanka 58(1) 09

**K****KANAGANATHAN, S**

- 1987 A computer programme for the efficient direction of field operations in tea estates 56(1) 48

**KANDIAH, S**

- 1986 Root influence on shoot development in tea (*Camellia sinensis*) (L.) O. Kuntze) following shoot pruning 55(2) 94

- 1987 A computer programme for the efficient direction of field operations in tea estates 56(1) 48

**KANTHASAMY, P**

- 1987 A study of micro-organisms in black tea and their activities associated with storage 56(1) 12

**KARIYAWASAM, W S**

- 1987 A study of micro-organisms in black tea and their activities associated with storage 56(1) 12

- 1987 Extent of non-enzymic oxidation in black tea processing 56(2) 83

**KATHIRAVETPILLAI, A**

1983	Effect of shade, water supply and nitrogen on the distribution of mineral nutrients and total carbohydrate resources in young tea ( <i>Camellia sinensis</i> (L.) O. Kuntze )	52(1)	21
1983	Effect of growth substances on rooting of slow rooting tea clones	52(1)	35
1983	Influence of mother leaf of cutting and of time and frequency of disbudding and decapitation of the new shoot on growth of young tea ( <i>Camellia sinensis</i> . L.)	52(2)	56
1985	The use of Oxyfluorfen as a pre-emergent herbicide in tea	54(1)	42
1989	Effect of additives on the phytotoxicity of glyphosate to <i>Panicum repens</i> (L.) Beauv	58(2)	118
1992	Effect of grafting fresh cuttings on yield and drought resistance in tea	61(2)	45
1997	Effect of sprays of plant growth regulator hydrogen cyanamide (dormax) on yield of tea	65(1/2)	67

**KHAN, A R**

1991	Adventitious root formation in tea cuttings planted on different dates	60(2)	70
------	--	-------	----

**KRISHNAPILLAI, S**

1983	Effect of cutting and defoliation on nitrogen uptake by young tea plants ( <i>Camellia sinensis</i> L.) grown in sand culture	52(1)	13
1986	Influence of levels of nitrogen and potassium fertilizers on chlorophyll content in mature clonal tea leaves	55(2)	71
1988	Supply of magnesium for mature tea in Sri Lanka	57(2)	34

1992	Effect of dolomite on soil reaction and nutrient availability in tea soils	61(1)	04
1992	Studies on tea and drought 1. Some observations on drought effects on physiology of tea	61(2)	59
<b>KRISHNARAJAH, P</b>			
1985	Soil erosion control measures for tea land in Sri Lanka	54(2)	91
<b>KUDAGAMAGE, S N</b>			
1987	Effect of pre-emergent herbicides on N-mineralization and microbial population	56(1)	41
1991	Effect of plant population on water use of mature clonal tea	60(2)	46
<b>KULASEGARAM, S</b>			
1983	Effect of shade, water supply and nitrogen on the distribution of mineral nutrients and total carbohydrate resources in young tea ( <i>Camellia sinensis</i> (L.) O. Kuntze)	52(1)	21
1983	Effect of growth substances on rooting of slow rooting tea clones	52(1)	35
1983	Influence of mother leaf of cutting and of time and frequency of disbudding and decapitation of the new shoot on growth of young tea ( <i>Camellia sinensis</i> . L.)	52(2)	56
1991	Nursery plant attributes as criteria for selection of new tea clones	60(2)	76
<b>KULATUNGA, S M</b>			
1987	An inexpensive and effective method for the control of red root disease of tea	56(1)	05

1987	Recent developments in the chemical control of blister blight leaf disease of tea-effectiveness of EBI fungicides	56(1)	22
<b>KUMAR, P D S</b>			
1996	Heat pipe heat exchangers for waste heat recovery	64(1/2)	35
<b>KUSTAMIYATI BAMBANG</b>			
1988	Indonesian jasmine tea	57(2)	65
<b>L</b>			
<b>LAI, R D</b>			
1991	Outturn charts	60(2)	56
<b>LAKHANPAUL, SUMAN</b>			
1990	Germination and desiccation tolerance of tea ( <i>Camellia sinensis</i> (L.) O. Kuntze) seeds and feasibility of cryopreservation(Short Communication)	59(2)	89
<b>LAKSEMIE, M S D</b>			
1987	Effect of pre-emergent herbicides on N-mineralization and microbial population	56(1)	41
1988	Effect of inter-planting dadaps ( <i>Erythrina lithosperma</i> ) in tea ( <i>Camellia sinensis</i> ) on soil physical properties of an ultisol	57(1)	11
<b>LATIEFF, RAZIA</b>			
1986	Studies on the tissue culture of tea ( <i>Camellia sinensis</i> )(L) O. Kuntze). 1. Development of a culture method for multiplication of shoots	55(1)	44

- 1988 Studies on the tissue culture of tea  
(*Camellia sinensis*(L.)O.Kuntze). 2.  
Rooting of shoots produced in  
culture 57(1) 16
- 1988 Studies on the tissue culture of tea  
(*Camellia sinensis* (L.) O. Kuntze) 3.  
Regeneration of plants from cotyledon  
callus culture 57(1) 20

**LIYANAGE, A C**

- 1988 Analysis of major fatty acids in  
tea 57(2) 46
- 1993 High-performance liquid chromoto-  
-graphy of chlorophylls in tea  
(*Camellia sinensis*) 62(1) 32
- 1997 Study on the changes of polyphenol  
oxidase and peroxidase activity during  
drying and storage of tea 65(1/2) 58

**M**

**MAINUDDIN AHMED**

- 1993 *In vitro* studies on fungicides against  
*Colletotrichum gloeosporoides* (Penz.)  
Sac-the die back of tea 62(1) 25

**MAINUL HUQ**

- 1993 *In vitro* studies on fungicides against  
*Colletotrichum gloeosporoides* (Penz.)  
Sac-the die back of tea 62(1) 25

**MANUELPILLAI, M E K**

- 1984 Influence of inoculum level and  
temperature on the population build-up  
and pathogenicity of the Root-lesion  
nematode (*Pratylenchus loosi* Loof)  
of tea 53(1/2) 19

**MIR AHMAD ALI**

- 1993 *In vitro* studies on fungicides against  
*Colletotrichum gloeosporoides* (Penz.)  
Sac-the die back of tea 62(1) 25

**MISHRA, S K**

- 1991 Performance of promising tea strains  
(*Camellia sinensis* (L) O. Kuntze) of  
Kangra Valley in Himachal Pradesh 60(1) 16

**MISRA, S K**

- 1990 Estimation and seasonal variations of  
macro and micro nutrients in tea of  
Himachal Pradesh 59(1) 29

**MOHAMMAD ALI**

- 1993 *In vitro* studies on fungicides against  
*Colletotrichum gloeosporoides* (Penz.)  
Sac-the die back of tea 62(1) 25

**MOHAMED, M T ZIYAD**

- 1986 Chemistry of tea (*Camellia sinensis*)  
leaf surface 55(1) 36

(see also Ziyad Mohamed, M T )

**MOHOTTI M**

- 1993 Effect of "Jawan" a neem based natural  
pesticide in controlling nematode pests  
of tea 62(2) 47

**MOLLA, M M**

- 1992 Effect on polyphenol oxidase activity  
in extracts of tea leaf prepared by  
maceration at different temperatures 61(1) 15

**MUKHOPADHYAY, A**

- 1992 Laboratory evaluation of predatory efficiency of *Geocoris ochropterus* Fieber (Hemiptera:Lygaeidae) on some common tea pests 61(2) 39

**MUMFORD, J D**

- 1992 A population model of *Helopeltis* in Bangladesh tea 61(1) 24
- 1994 System analysis approach in tea pest management in Bangladesh 63(2) 70

**N****NAGAHULLA, S M**

- 1996 A preliminary study of the phytoalexins produced in the tea leaf in relation to the blister blight leaf disease caused by *Exobasidium Vexans* massee of tea 64(1/2) 05
- 1997 Environment friendly pest control agents: Use of BIO 1020 to control white grub damage on tea 65(1/2) 34

**NALLIAH, P**

- 1984 A comparative study of the efficiency of utilization of urea and ammonium sulphate by mature tea plants using N-15 labelled fertilizers 53(1/2) 23
- 1985 Effect of urea and ammonium sulphate on the nitrification and the release of potassium, magnesium and calcium in acid tea soils 54(1) 11

**NAS, S**

- 1992 Effect of rolling method on physical characteristics of rolled tea leaves 61(2) 51

**NATHANIEL, R K**

- |      |  |       |    |
|------|--|-------|----|
| 1985 | Studies on methods of bringing clonal tea into bearing in the Low-country of Sri Lanka | 54(1) | 32 |
| 1986 | Effect of harvesting on the growth and yield of low grown clonal tea                   | 55(1) | 14 |

**NAVARATNE, S**

- |      |   |       |    |
|------|---|-------|----|
| 1992 | Studies on tea and drought 1. Some observations on drought effects on physiology of tea | 61(2) | 59 |
|------|---|-------|----|

**O****OZDEMIR, F**

- |      |   |       |    |
|------|---|-------|----|
| 1992 | Effect of rolling method on physical characteristics of rolled tea leaves | 61(2) | 51 |
|------|---|-------|----|

**P****PALLEMULLA, D**

- |      |   |       |    |
|------|---|-------|----|
| 1992 | Effect of grafting fresh cuttings on yield and drought resistance in tea                | 61(2) | 45 |
| 1992 | Studies on tea and drought 1. Some observations on drought effects on physiology of tea | 61(2) | 59 |

**PARAMASIVAM, S**

- |      |   |         |    |
|------|---|---------|----|
| 1984 | A comparative study of the efficiency of utilization of urea and ammonium sulphate by mature tea plants using N-15 labelled fertilizers | 53(1/2) | 23 |
|------|---|---------|----|

**PEIRIS, H S N**

- 1987 The analysis of some aspects of weather and moisture status of soil in the low country to determine the most suitable time for planting tea 56(2) 58
- 1992 Effect of levels of organic carbon on the persistency of diuron (3-(3,4-dichlorophenyl)-1-1 dimethyl urea) in an acid sandy soil 61(1) 20

**PERERA, CHRISANTHA**

- 1985 Tea constituents and export standards of Sri Lanka teas 54(1) 26

**PERERA, E R**

- 1988 Preliminary observations on susceptibility of tea clones to white grub, *Holotrichia disparilis* Arrow (Coleoptera:Scrabaeidae) attack 57(2) 68

**PERERA, M B A**

- 1984 Comparative study of the relationship of tea yields and area variations due to slopes in hilly terrain using aerial photographs and survey maps 53(1/2) 11
- 1989 Planned landuse for the tea country 58(2) 92
- 1990 Assessment of tea area in Sri Lanka 59(1) 37

**PERERA, P S F**

- 1997 Study on the changes of polyphenol oxidase and peroxidase activity during drying and storage of tea 65(1/2) 58

**PREMATUNGE, A K**

- 1990 *In vitro* culturing of the burrowing nematode *Radopholus similis*, a serious root pest of tea, on tissue culture raised from carrot and ginger 59(2) 82

**PUNYASIRI, P A N**

1985	The use of Oxyfluorfen as a pre-emergent herbicide in tea	54(1)	42
1985	Use of oxyfluorfen as a pre-emergent weedkiller in young tea	54(2)	73
1986	The influence of methods of weed management in tea on the surface layer soil properties of an ultisol	55(1)	28
1988	Effect of inter-planting dadaps ( <i>Erythrina lithosperma</i> ) in tea ( <i>Camellia sinensis</i> ) on soil physical properties of an ultisol	57(1)	11
1989	Effect of additives on the phytotoxicity of glyphosate to <i>Panicum repens</i> (L.) Beauv.	58(2)	118
1990	An improved procedure for the isolation of flavanols from tea leaves	59(1)	24
1993	Correlation of major flavanols of some tea clones with quality of tea	62(1)	04
1993	High-performance liquid chromatography of chlorophylls in tea ( <i>Camellia sinensis</i> )	62(1)	32
1996	A preliminary study of the phytoalexins produced in the tea leaf in relation to the blister blight leaf disease caused by <i>Exobasidium Vexans</i> massee of tea	64(1/2)	05
1997	Study on the changes of polyphenol oxidase and peroxidase activity during drying and storage of tea	65(1/2)	58

**R****RAJASEKAR, R**

1989	Interaction between IBA, certain micro-nutrients and phenolic acids in relation to rooting of tea cuttings	58(1)	25
------	--	-------	----

**RAJASEKARAN, P**

- 1996 An *in vitro* and *ex vitro* rooting of micropropagated shoots of tea (*Camellia spp.*) 64(1/2) 12

**RAMAKRISHNA, P**

- 1991 Outturn charts 60(2) 56
- 1996 Heat pipe heat exchangers for waste heat recovery 64(1/2) 35

**RANAMUKAARACHCHI, S L**

- 1994 Management of *Crassocephalum crepidiodes* and *Erigeron sumatrensis* in High-grown tea 63(1) 28

**RANAWEERA, A S**

- 1988 Study of fermenting rates of clones using chloroform test 57(1) 24
- 1989 Therotical basis of estimation of moisture content by capacitance method 58(1) 56
- 1991 Quality of CTC teas made from different tea (*Camellia sinensis*,L) clones 60(1) 22

**RASHID, A**

- 1985 Studies on the progenies of a cross between diploid and tetraploid tea 54(2) 54

**RATNAYAKE, R M A**

- 1992 Effect of pH of copper fungicides on germination of *Exobasidium vexans* 61(1) 31

**S****SAMARASINGHAM, S**

1988	Indonesian jasmin tea	57(2)	65
1990	A method for processing of green tea	59(1)	16

**SAMARASINGHE, SEETHA M**

1994	Pathogenicity of entomopathogenic agents against termites employing insecticidal bioassay with borax-toxicity method	63(2)	78
------	--	-------	----

**SAMARAWEERA, D S A**

1985	Water activity in tea	54(2)	78
1988	Study of fermenting rates of clones using chloroform test	57(1)	24
1988	A Low cost voltage stabilizer for infra-red tea moisture meters used in tea factories	57(2)	40
1988	Removal of stalk in leafy grades of tea by colour mismatch technique	57(2)	55
1989	Theoretical basis of estimation of moisture content by capacitance method	58(1)	56
1989	Water activity in relation to the size of black tea particles	58(2)	87
1991	Quality of CTC teas made from different tea ( <i>Camellia sinensis</i> ,L) clones	60(1)	22

**SANDANAM, S**

1984	Inhibitory effects of commercial potassium chloride on the nitrification rates of added ammonium sulphate in an acid red yellow podzolic soil (Short Communication)	53(1/2)	43
------	---	---------	----

1985 Use of oxyfluorfen as a pre-emergent  
weedkiller in young tea 54(2) 73

**SANNIGRAHI, S**

1992 Laboratory evaluation of predatory  
efficiency of *Geocoris ochropterus*  
Fiber (Hemiptera:Lygaeidae) on some  
common tea pests 61(2) 39

**SARATHCHANDRA, K**

1997 Root formation on *in vitro* micro-  
propagated shoots of *Camellia*  
*sinensis* L. 65(1/2) 05

**SARATHCHANDRA, T M**

1988 Studies on the tissue culture of tea  
(*Camellia sinensis* (L.) O. Kuntze).  
4. Somatic embryogenesis in stem and  
leaf callus culture 57(2) 50

1990 Progress towards the commercial  
propagation of tea by tissue culture  
techniques 59(2) 62

1997 Root formation on *in vitro* micro-  
propagated shoots of *Camellia*  
*sinensis* L. 65(1/2) 05

**SARWAR, M**

1985 Callus formation from explanted organs  
of tea (*Camellia sinensis* L.) 54(1) 18

**SENANAYAKE, Y D A**

1991 Nursery plant attributes as criteria  
for selection of new tea clones 60(2) 76

**SENARATNE, T S N**

- 1991 A method to determine potential evapotranspiration rates in tea plantations 60(2) 64

**SENAVIRATNE, POORNA**

- 1988 Studies on the tissue culture of tea (*Camellia sinensis*(L.)O.Kuntze). 2. Rooting of shoots produced in culture 57(1) 16
- 1988 Studies on the tissue culture of tea (*Camellia sinensis* (L.) O. Kuntze) 3. Regeneration of plants from cotyledon callus culture 57(1) 20

**SHANMUGARAJAH, V**

- 1983 Effect of growth substances on rooting of slow rooting tea clones 52(1) 35
- 1991 Nursery plant attributes as criteria for selection of new tea clones 60(2) 76
- 1992 Effect of grafting fresh cuttings on yield and drought resistance in tea 61(2) 45
- 1994 Selection criteria for tea(A Review) 63(2) 94

**SHARMA, D K**

- 1991 Performance of promising tea strains (*Camellia sinensis* (L) O. Kuntze) of Kangra Valley in Himachal Pradesh 60(1) 16

**SHARMA, K L**

- 1991 Performance of promising tea strains (*Camellia sinensis* (L) O. Kuntze) of Kangra Valley in Himachal Pradesh 60(1) 16

**SHARMA, V S**

- 1989 Interaction between IBA, certain micro-nutrients and phenolic acids in relation to rooting of tea cuttings 58(1) 25

**SINCLAIR, A H**

- 1988 Assessment of soil potassium and its uptake by ryegrass 57(2) 73
- 1993 Mineralogy in the clay and silt fractions of Sri Lankan acid tea soils from dolomitic and non-dolomitic sites in relation to magnesium fertilizer applications 62(2) 53

**SINGH, I D**

- 1990 Germination and desiccation tolerance of tea (*Camellia sinensis*(L.) O. Kuntze) seeds and feasibility of cryopreservation (Short Communication) 59(2) 89

**SIVAPALAN, K**

- ✓ 1983 Humified phenol-rich plant residues and soil urease activity 52(1) 31
- ✓ 1983 Phenolics and the exchange capacity of humic materials (Short Communication) 52(2) 84
- ✓ 1984 Humification of polyphenol-rich plant residues (Short Communication) 53(1/2) 47
- 1985 Tea constituents and export standards of Sri Lanka teas 54(1) 26
- ✓ 1986 Tea cream - a complex story 55(1) 04
- ✓ 1986 The biochemistry of soil humus-some current concepts 55(2) 58

**SIVAPALAN, P**

- 1983 Technological inputs and production trends of tea in Sri Lanka 52(1) 05
- 1983 Minimising soil erosion on tea estates in respect of manual weed control 52(2) 81

1985	An integrated management strategy to minimize the economic damage to mature tea, caused by the shot-hole borer beetle ( <i>Xyleborus fornicatus</i> Eichh.)	54(1)	04
1985	Resting of tea fields	54(1)	23
1985	Dietary amino acid requirements of the tea tortrix, <i>Homona coffearia</i> Nietner (Lepidoptera:Tortricidae) reared <i>in vitro</i>	54(2)	62
1986	A strategy to adopt the appropriate genetic diversity for planting clonal tea	55(2)	53
1988	Supply of magnesium for mature tea in Sri Lanka	57(2)	34
1990	Aluminium in black tea	59(1)	04
1993	Shade and green manure trees in tea-A holistic appraisal	62(2)	41

**SIVASUBRAMANIAM, S**

1984	Inhibitory effects of commercial potassium chloride on the nitrification rates of added ammonium sulphate in an acid red yellow podzolic soil (Short Communication)	53(1/2)	43
------	---	---------	----

**SIVENDIRAN, M**

1991	A method to determine potential evapotranspiration rates in tea plantations	60(2)	64
------	---	-------	----

**SUD, R G**

1989	Varietal and seasonal variations in chemical constituents of tea ( <i>Camellia sinensis</i> (L.) O. Kuntze) in Himachal Pradesh	58(1)	73
------	---	-------	----

1990 Estimation and seasonal variations of macro and micro nutrients in tea of Himachal Pradesh	59(1)	29
---	-------	----

**SURESHKUMAR, B**

1993 Effect of "Jawan" a neem based natural pesticide in controlling nematode pests of tea	62(2)	47
--	-------	----

**T**

**THEVADASAN, A**

1985 Water activity in tea	54(2)	78
1987 Prediction of out-turn made tea to green leaf using simple agroclimatic factors	56(2)	87
1989 Water activity in relation to the size of black tea particles	58(2)	87

**THEVADASAN, T**

1987 Prediction of out-turn made tea to green leaf using simple agroclimatic factors	56(2)	87
--	-------	----

**THIRUGNANASUNDARAN, K**

1987 Feeding rates and survival of live wood termites in woody plants	56(2)	67
1988 Preliminary observations on suscepti- bility of tea clones to white grub, <i>Holotrichia disparilis</i> Arrow (Coleoptera:Scrabaeidae) attack	57(2)	68
1989 Recent observations on resistance and susceptibility of tea clones to the shot-hole borer beetle, <i>Xyleborus fornicatus</i> Eichh. (Coleoptera: Scolytidae)	58(1)	50
1989 Distinctive morphological characters of termites in high and mid grown tea in Sri Lanka	58(2)	104

1990 Clonal susceptibility and population dynamics of tea red spider mite, *Oligonychus coffeae* Nietner (Acarina: Tetranychidae) under laboratory conditions 59(1) 09

**TURNER, S T D**

1994 Application of geographical information systems to the tea industry 63(1) 10

**U**

**UDUMULLA, G P**

1993 Effect of "Jawan" a neem based natural pesticide in controlling nematode pests of tea 62(2) 47

**UPALI, P D**

1988 Studies on the tissue culture of tea (*Camellia sinensis* (L.) O. Kuntze). 4. Somatic embryogenesis in stem and leaf callus cultures 57(2) 50

1990 Progress towards the commercial propagation of tea by tissue culture techniques 59(2) 62

**V**

**VITHANA, D W**

1994 Effect of different mulching materials on soil properties and growth of young tea 63(1) 04

**VITANA, S B**

1997 Environment friendly pest control agents: Use of BIO 1020 to control white grub damage on tea 65(1/2) 34

**VITARANA, S I**

- 1997 Environment friendly pest control agents: Use of BIO 1020 to control white grub damage on tea 65(1/2) 34

**W****WADASINGHE, G**

- 1983 Growth analysis studies in clonal tea (*Camellia sinensis* (L.) O. Kuntze) 52(2) 64
- 1986 Root influence on shoot development in tea (*Camellia sinensis* (L.) O. Kuntze) following shoot pruning 55(2) 94
- 1987 The analysis of some aspects of weather and moisture status of soil in the low country to determine the most suitable time for planting tea 56(2) 58

**WAHEED, A**

- 1991 Adventitious root formation in tea cuttings planted in different dates 60(2) 70

**WANIGASUNDARA, W A D P**

- 1989 An evaluation of sources of information used by tea plantations in Sri Lanka 58(1) 09

**WARNASIRI, H A P**

- 1997 Mineral composition in relation to leaf maturity from 2000, 3000 and 4000 clonal series: Leaf analysis as a guide in tea crop nutrition 65(1/2) 11

**WATSON, M**

- 1986 The influence of methods of weed management in tea on the surface layer soil properties of an ultisol 55(1) 28

**WEERASINGHE, D K**

- 1986 Chemistry of tea (*Camellia sinensis*)  
leaf surface 55(1) 36

**WETTASINGHE, D T**

- 1983 Growth analysis studies in clonal tea  
(*Camellia sinensis* (L.) O. Kuntze) 52(2) 64
- 1986 Root influence on shoot development  
in tea (*Camellia sinensis* (L.) O.  
Kuntze) following shoot  
pruning 55(2) 94

**WICKRAMASINGHE, K N**

- 1984 A comparative study of the efficiency  
of utilization of urea and ammonium  
sulphate by mature tea plants using  
N-15 labelled fertilizers 53(1/2) 23
- 1985 Effect of urea and ammonium sulphate on  
the nitrification and the release of  
potassium, magnesium and calcium in  
acid tea soils 54(1) 11
- 1986 Effect of herbicides on urea  
hydrolysis in tea soils 55(1) 22
- 1986 Effect of urea and ammonium  
sulphate on sulphur nutrition  
of tea 55(2) 77
- 1988 Fate of biuret in tea soils 57(1) 05

**WICKRAMASINGHE, V**

- 1986 Chemistry of tea (*Camellia sinensis*)  
leaf surface 55(1) 36

**WIJEDASA, M A**

- 1984 Inhibitory effects of commercial potassium chloride on the nitrification rates of added ammonium sulphate in an acid red yellow podzolic soil (Short Communication) 53(1/2) 43
- 1985 Effect of urea and ammonium sulphate on the nitrification and the release of potassium, magnesium and calcium in acid tea soils 54(1) 11

**WIJERATNA, M A**

- 1994 Effect of different mulching materials on soil properties and growth of young tea 63(1) 04
- 1996 Effects of environmental factors on growth and yield of tea (*Camellia sinensis* L.) in the low-country wet zone of Sri Lanka 64(1/2) 21

**WIJETUNGA, W M S**

- 1990 Macro and micro nutrients in Sri Lankan black tea and tea brew 59(2) 52

**WIJEWARDENA, R G A**

- 1988 Studies on the tissue culture of tea (*Camellia sinensis* (L.) O. Kuntze).  
4. Somatic embryogenesis in stem and leaf callus culture 57(2) 50

**WILLARACHCHI, H K**

- 1988 Removal of stalk in leafy grades of tea by colour mismatch technique 57(2) 55

**WILSON, M J**

1993 Mineralogy in the clay and silt  
fractions of Sri Lankan acid tea soils  
from dolomitic and non-dolomitic sites  
in relation to magnesium fertilizer  
applications 62(2) 53

**WIMALADASA, G D**

1986 Effect of herbicides on urea  
hydrolysis in tea soils 55(1) 22

1988 Assessment of soil potassium and its  
uptake by ryegrass 57(2) 73

**YAMANISHI, TEI**

1989 An index for assessing the quality  
of Uva seasonal black tea 58(1) 40

**ZIYAD MOHAMED, M T**

1997 Study on the changes of polyphenol  
oxidase and peroxidase activity during  
drying and storage of tea 65(1/2) 58

## CLASSIFIED INDEX TO TITLES OF PAPERS SUMMARY

### A

A Review	63-94
<b>Acid red yellow podzolic soil (see also soil)</b>	
Acid red yellow podzolic soil	53-43
<b>Acid sandy soil (see soil)</b>	
<b>Acid soil (see soil)</b>	
Aerial photographs	53-11
Agricultural diversification	59-65
Agro-climatic factors	56-87
Aluminium	59-04
Amino acid	54-62
Ammonium sulphate	53-23, 43
	54-11
	55-77
Analysis -leaf	65-11
Area variation	53-11

### B

Bangladesh tea	61-24
Bearing, bringing into	54-32
BIO 1020	65-34
Biochemistry	55-58
Bio-control agents	62-11
Biuret	57-05
Black tea	56-12
	59-04, 52
Black tea- Manufactured	58-111
Black tea particles	58-87
Black tea processing	56-83
Black tea-Uva seasonal	58-40
<b>Blister blight (see also Leaf diseases)</b>	
Blister blight	64-05
Borax-toxicity method	63-78
<b>Bring into bearing (see Bearing, bringing into)</b>	
Burrowing nematode	52-41
	58-05, 83
	59-82
<b>Burrowing nematode (see also Radopholus similis)</b>	

C

Calcium	54-11
Callus	54-18
Callus cultures -leaf	57-50
Callus cultures-stem	57-50
<i>Camellia sinensis</i>	52-13, 21, 56
	55-44
	55-36, 94
	58-73
	59-89
	60-22
	62-32
	65-05, 46
<i>Camellia spp.</i>	64-12
Capacitance method	58-56
Carbohydrate resources	52-21
Carrot	59- 82
Chemical constituents	58-73
	60-36
Chemical control	56-22
Chemistry of tea	55-36
Chloroform test	57-24
Chlorophyll	55-71
	62-32
Clay	62-53
Clonal susceptibility	59-09
Clonal selection	64-51
Clonal series- 2000, 3000, 4000	65-11
Clonal tea	52-64
	55-14, 53
	60-46
	65-46
Clones	52-35
	57-24, 68
	60-76
	62-04
<i>Colletotrichum gloeosporoides</i> (Penz.)	62- 25
Colour mismatch technique	57- 55
Commercial propagation	59 -62
Computer programme	56- 48
Constituents -tea	54- 26
<b>Control of red root disease (see red root disease)</b>	
<b>Copper fungicides (see fungicides)</b>	
Cotylendon callus culture	57- 20
<i>Craosocephalum crepidioides</i>	63- 28
Criteria for selection	60- 76

Cryopreservation	59- 89
CTC teas	60- 22
Culture methods	55- 44
Cuttings	52-13,56
	58 -25
	60 -70

## D

Dadaps	57-11
<b>Dadaps (see also <i>Erythrina lithosperma</i>)</b>	
Decapitation	52-56
Defoliation	52-13
Desiccation	59-89
Determine potential	
evapotranspiration rates	60-64
Dhool	58-111
Die back	62-25
Different tea clones	
- <i>Camellia sinensis</i> L.	60-22
Diploid	54-54
Disbudding	52-56
Diseases-Leaf	64-05
Diseases- Red root	56-05
Diseases- Root	52-52
Diuron (3-(3,4 dichloropheny)	
-1-dimathyl urea)	61-20
Dolomitic	62-53
Dolomite	61-04
Dormex	65-67
Drought	61-45,59
Drying	65-58

## E

EBI Fungicides see also fungicides	
EBI Fungicides	56- 22
Ecological threat	59- 65
Economic damage	
Eelworm	54- 46
Electronic servocontrol	60- 22
Energy	63 - 46,59
Entomopathogenic	63 - 78
<b>Entomopathogenic Nematodes ( see Nematodes)</b>	
Environmental factors	64- 21
<i>Erigeron sumatrensis</i>	63 -28
<b>Erosion (see soil erosion)</b>	

<i>Erythrina lithosperma</i>	57-11
Estimation & seasonal variations	59-29
<i>Ex vitro</i>	64-12
Exchange capacity	52-84
<i>Exobasidium vexans</i>	61-31
	64-05
Export standards -tea	54-26
<b>F</b>	
Fatty acids	57-46
Feeding rates	56-67
Fermenting rates	57-24
Fertilizer - N-15	53-23
Fertilizer -potassium	55-71
Field operations	56-48
Flavanols	59-24
	62-04
Fresh tea flush	60-36
Fuelwood trees	64-43
Fungicides	56-22
Fungicides - copper	61-31
Fungicides-EBI	62-25
<b>G</b>	
Genetic diversity	55-53
<i>Geocoris ochropterus</i>	61-39
Geographical Information Systems	63-10
Germination	59-89
	61-31
Ginger	59-82
Glyphosate	58-118
Grafting	61-45
Green leaf	56-87
Green manure	62-41
Green tea	59-16
Growth	52-56
	55-14, 84
	63-04
	64-21
Growth analysis	52-64
Growth substances	52 -35

**H**

Harvesting intervals	64-51
Harvesting	55-14
Heat pipe	64-35
Heat exchangers	64-35
Heat - waste	64-35
<i>Helopeltis</i>	61-24
Herbicides - pre emergent	54-42
	56-41
Herbicides	55-22
High grown	58-104
Hilly terrain	53-11
Himachal Pradesh	58-73
	59-29
	60-16
Holistic appraisal	62-41
<i>Holotricha disparillis</i> Arrow	57-68
<i>Homona coffearia</i> Nietner	54-62
Humic materials	52-84
Humification	53-47
<b>Hydrogen cyanamide (see also dormex)</b>	
Hydrogen cyanamide	65-67

**I**

IBA	58-25
<i>In vitro</i>	54-62
	59-82
	62-25
	64-12
	65-05
Indonesian	57-65
Infra-red tea moisture meter	57-40
Inoculum level	53-19
Insecticidal bioassay	63-78
Intergrated management strategy	54-04
Inter-planting	57-11

**J**

Jasmine tea	57-65
Jawan	62-47

## L

Laboratory conditions	59-09
Landuse	58-92
Leaf	61-15
<b>Leaf analysis (see also analysis leaf)</b>	
Leaf analysis	65-11
<b>Leaf diseases (see also Diseases)</b>	
Leaf diseases	64-05
Leaf maturity	65-11
Leaf surface	55-36
Leafy grades	57-55
Lime (CaCO <sub>3</sub> )	60-04
Liquid chromatography	62-32
<b>Live wood termite (see also <i>Postelectrotermes militaris</i>)</b>	
Live wood termites	62-16, 66 56-67
Low country	54-32 56-58 64-21
Low grown	55-14

## M

Made tea	56-87 60-36
Magnesium	54-11 57-34
Magnesium fertiliser	62-53
<b>Manual weed control (see weed control)</b>	
Mature tea	53-23 54-04 57-34 56-12
Micro organisms	63-19
Microbial inhabitants	56-41
Microbial population	58-25
Micro-nutrients	64-12
Micropropagated shoots	65-05
Mid grown	58-104
Mid-country	52-41
Mineral nutrients	52-21
Mineralogy	62-53
Moisture	56-58 58-56
Morphological characters	58-104
Mother leaf	52-56

Mulching materials 63-04  
Multiplication of shoots 55-44

## N

N-15 see also Fertilizer 53-23  
**Natural pesticide (see also Neem)**  
Neem 62-47  
Nematode 52-41  
Nematode pests 62-47  
Nematodes - Entomopathogenic 62-16, 66  
New clearing 53-04  
New shoot 52-56  
Nitrification 53-43  
54-11  
Nitrogen uptake 52-13  
Nitrogen 52-21  
55-71  
N-mineralization 56-41  
Non-dolamitic 62-53  
Non-enzymic oxidation 56-83  
Nursery plants 56-95  
60-76  
Nutrients 59-29, 52  
61-04

## O

*Oligonychus coffeae* Nietner 59-09  
Organic carbon 61-20  
Outturn charts 60-56  
Oxyfluorfen 54-42, 73

## P

*Panicum repens* (L.) Beauv. 58-118  
Pathogenicity 53-19  
58-83  
63-78  
Pepper 58-05  
Peroxidase 65-58  
Pest - Root 59-82  
Pest control agents 65-34  
Pest management in Bangladesh 63-70  
Pesticide - natural 62-47

pH	61-31
Phenol	52-31
Phenolic acids	58-25
Phenolics	52-84
Phosphate	56-35
Physical characteristics	61-51
Physiology of tea	61-59
Phytoalexins	64-05
Phytotoxicity	58-118
Plant growth regulator	65-67
Plant population	60-46
Plant residues	53-47
Planting tea	56-58
◁ Polyphenol	53-47
Polyphenol oxidase	61-15 65-58
Population dynamics	59-09
Population model	61-24
Population	53-19
Post prune operations	65-76
<i>Postelectrotermes militaris</i>	62 -16,66
Potassium - soil	57-73
Potassium Chloride- commercial	53-43
<b>Potassium (fertilizer see fertilizer)</b>	
Potassium	54-11
<i>Pratylenchus loosi</i>	53-19 56-95
<b>Pre-emergent herbicides (see herbicides)</b>	
Pre-emergent	54-73
Proceedings of a symposium	53-29
Processing	58-64 59-16
Production	52-41 53-29
Production trends	52-05
Progenies	54-54
<b>Q</b>	
Quality of tea	58-40,64,111 60- 22,36 62-04

## R

<i>Radopholus similis</i>	52-41
	58 -05, 83
	59 -82
<b>Red root disease (see Diseases)</b>	
<b>Red spider mite (see also <i>Oligonychus coffeae</i> Nietner)</b>	
Red spider mite	59-09
Regeneration	57-20
Rehabilitating	55-89
Replanting	54-46
	55-89
Residues	52-31
Resistance	58-50
Resting	54-23
Ring-barking	53-04
Rolling methods	61-51
<b>Root Disease (see Diseases)</b>	
Root formation	60-70
	65-05
<b>Root -lesion nematode (see also <i>Pratylenchus loosi</i>)</b>	
Root -lesion nematode	53-19
	56-95
Root pest see also Pest	
Root pest	59-82
Rooting	
Ryegrass	57-73

## S

Sand culture	52-13
Saturation vapour pressure deficit	65-46
Seasonal variations	58-73
Seeds	59-89
Selection - criteria	60-76
	63-94
Shade	52-21
	62-41
Shoot development	55-94
	64-51
Shoot growth	65-46
Shoot pruning	55-94
Shoots	57-16
	65- 05
Short communication	52-41, 84
	53-43, 47

	54-46
	59-89
<b>Shot-hole borer beetle (see also</b>	
<b><i>Xyleborus fornicatus</i> Eichh)</b>	
Shot-hole borer beetle	58-50, 83
	54-04
Silt fractions	62-53
Slopes	53-11
Soft root rot	52-52
Soil - acid tea	54-11
Soil - acid sandy	61-20
Soil - acid	60-04
	62-53
Soil chemical properties	57-11
	60-04
Soil erosion	52-81
	54-91
Soil humus	55-58
Soil physical properties	65-76
<b>Soil potassium (see Potassium)</b>	
Soil properties	55-28
	63-04
Soil reaction	61-04
Soil reconditioning	55-84
Soil urease	52-31
Soil	53-43
	56-58
	57-05
Somatic embryogenesis	57-50
Sources of information	58-09
South India	53-29
Sprays	65-67
Sri Lanka	52-05, 46
	63-46, 59
Sri Lanka see also South India	53-29
Sri Lanka teas	54-26
Sri Lankan acid tea soils	62-53
Stalk	57-55
Storage	56-12, 58
Sulphate nutrition	55-77
Sulphur-mineralization	56-35
Surface layer	55-28
Survey maps	53-11
Susceptibility	58-50
Symposium	52-46

	54-46
	59-89
<b>Shot-hole borer beetle (see also</b>	
<i>Xyleborus fornicatus</i> Eichh)	
Shot-hole borer beetle	58-50, 83
	54-04
Silt fractions	62-53
Slopes	53-11
Soft root rot	52-52
Soil - acid tea	54-11
Soil - acid sandy	61-20
Soil - acid	60-04
	62-53
Soil chemical properties	57-11
	60-04
Soil erosion	52-81
	54-91
Soil humus	55-58
Soil physical properties	65-76
<b>Soil potassium (see Potassium)</b>	
Soil properties	55-28
	63-04
Soil reaction	61-04
Soil reconditioning	55-84
Soil urease	52-31
Soil	53-43
	56-58
	57-05
Somatic embryogenesis	57-50
Sources of information	58-09
South India	53-29
Sprays	65-67
Sri Lanka	52-05, 46
	63-46, 59
Sri Lanka see also South India	53-29
Sri Lanka teas	54-26
Sri Lankan acid tea soils	62-53
Stalk	57-55
Storage	56-12, 58
Sulphate nutrition	55-77
Sulphur-mineralization	56-35
Surface layer	55-28
Survey maps	53-11
Susceptibility	58-50
Symposium	52-46
	53-29

## T

Tea soils	61-04
Tea area	59-37
Tea brew	59-52
Tea country	58-92
Tea cream	55-02
Tea crop nutrition	52-81
	56-48
	65-11
Tea factories	57-40
Tea industry	63-10, 59
	64-43
Tea land	54-91
	55-89
Tea leaves	55-71
	59-24
	64-05
Tea pests	61-39
	63-79
Tea phylloplane	63-19
Tea plantation	58-09
	59-65
	60-64
Tea see also <i>Camellia</i> spp.	64-12
Tea soils see also soil	
Tea soils	55-22
Tea strains	60-16
<b>Tea tortrix (see also <i>Homona coffearia</i> Nietner)</b>	
Tea tortrix	54-62
Technological inputs	52-05
Temperature	53-19
	61-15
Termites	58-104
	63-78
Tetraploid	54-54
Tissu culture	55-44
	57-16, 20, 50
	59-62, 82
Tissue culture techniques	59-62
TRI Auditorium	52-46
Trickle irrigation	54-84

<b>U</b>	
Ultisol	55-28
	56-35
	57-11
Uptake	57-73
Urea	53-23
	54-11
	55-77
Urea hydrolysis	55-22
<b>Uva seasonal black tea (see black tea)</b>	
<b>V</b>	
Varietal	58-73
Voltage stabilizer	57-40
<b>W</b>	
Water use	60-46
Water activity	54-78
	58-87
Water	52-21
Weather	56-58
Weed control - manual	52-81
Weed management	55-28
Weedkiller	54-73
White grub damage	65 -34
<b>White grub (see also <i>Holotrichia disparillis</i> Arrow)</b>	
White grub	57-68
Withering troughs	60-30
Woody plants	56-67
<b>X</b>	
<i>Xyleborus fornicatus</i> Eichh	61-45
<b>Y</b>	
Yield	53-11
	55-14,84
	64 - 21
	65-67,76
<b>Young tea (see also <i>Camellia sinensis</i>)</b>	

Young tea

52-13,21,56

53-04

54-73

63-04

# CLASSIFIED INDEX TO TITLES OF PAPERS

Volume Page

## A

**Acidity, soil (see soil)**

## B

### **Biochemical Aspects of Tea**

Phenolics and the exchange capacity of humic materials (Sivapalan, K)	52 (2)	84
Tea cream - a complex story(Sivapalan, K)	55 (1)	04
Tea constituents and export standards of Sri Lanka teas(Sivapalan, K)	54 (1)	26
Chemistry of tea ( <i>Camellia sinensis</i> ) leaf surface (Mohamed, M T Ziyad)	55 (1)	36
A study of micro-organisms in black tea and their activities associated with storage(Ekanayake, A)	56 (1)	12
Extent of non-enzymic oxidation in black tea processing(Ekanayake, A)	56 (2)	83
Study of fermenting rates of clones using chloroform test(Samaraweera, D S A)	57 (1)	24
Analysis of major fatty acids in tea (Liyanage, A C)	57 (2)	46
An index for assessing the quality of Uva seasonal black tea(Yamanishi, Tei)	58 (1)	40
Factors affecting quality of tea during processing (Agarwal, Beena)	58 (1)	64
Varietal and seasonal variations in chemical constituents of tea ( <i>Camellia sinensis</i> (L.) O. Kuntze) in Himachal Pradesh (Sud, R G )	58 (1)	73

Effect of sifting of dhool during fermentation on quality of manufactured black tea (Anandavijayan, S)	<b>58 (2)</b>	111
Aluminium in Black tea (Anandacoomaraswamy, S)	<b>59 (1)</b>	04
An improved procedure for the isolation of flavanols from tea leaves (Punyasiri, P A N)	<b>59 (1)</b>	24
Macro and micro nutrients in Sri Lankan black tea and brew (Anandacoomaraswamy, S)	<b>59 (2)</b>	52
Quality of CTC teas made from different tea ( <i>Camellia sinensis</i> L) clones (Ranaweera, A S)	<b>60 (1)</b>	22
Effect on polyphenol oxidase activity in extracts of tea leaf prepared by maceration at different temperatures (Molla, M M)	<b>61 (1)</b>	15
Chemical Constituents in different parts of fresh tea flush and their contribution to overall quality in made tea (Herath, N L)	<b>60 (1)</b>	36
Correlation of major flavanols of some tea clones with quality of tea (Herath, N)	<b>62 (1)</b>	04
High-performance liquid chromatography of chlorophylls in tea ( <i>Camellia sinensis</i> ) (Liyanage, A C)	<b>62 (1)</b>	32
Study on the changes of polyphenol oxidase and peroxidase activity during drying and storage of tea (Liyanage, A C)	<b>65 (1/2)</b>	58
 <b>Biological control</b>  		
Entomopathogenic nematodes (Rhabditida: Heterorhabditidae and Steinernematidae) in Sri Lanka as bio-control agents (Amarasinghe, L D)	<b>62 (1)</b>	11

Efficacy of entomopathogenic nematodes to control up-country live-wood termite, <i>Postelectrotermes militaris</i> (Amarasinghe, L D)	<b>62 (1)</b>	16
Potential of using entomopathogenic nematodes to control up-country live-wood termite ( <i>Postelectrotermes militaris</i> ) (Amarasinghe, L D)	<b>62 (2)</b>	66
Pathogenicity of entomopathogenic agents against termites employing insecticidal bioassay with borax-toxicity method (Samarasinghe, Seetha M)	<b>63 (2)</b>	78

### **Biuret**

Fate of biuret in tea soils (Fernando, V)	<b>57 (1)</b>	05
---	---------------	----

### **Black tea**

A study of micro-organisms in black tea and their activities associated with storage (Ekanayake, A)	<b>56 (1)</b>	12
Extent of non-enzymic oxidation in black tea processing (Ekanayake, A)	<b>56 (2)</b>	83
An index for assessing the quality of Uva seasonal black tea (Yamanishi, Tei)	<b>58 (1)</b>	40
Effect of sifting of dhool during fermentation on quality of manufactured black tea (Anandavijayan, S)	<b>58 (2)</b>	111
Aluminium in Black tea (Anandacoomaraswamy, S)	<b>59 (1)</b>	04
Macro and micro nutrients in Sri Lankan black tea and brew (Anandacoomaraswamy, S)	<b>59 (2)</b>	52

### **Black tea processing (see Manufacture)**

### **Blister blight (see Diseases-leaf)**

## Bringing into Bearing

Studies on methods of bringing clonal tea into bearing in the Low-country of Sri Lanka (Nathaniel, R K) 54(1) 32

## C

### callus culture (see Tissue Culture)

## Clones

Effect of growth substances on rooting of slow rooting tea clones (Kathiravetpillai, A) 52(1) 35

Growth analysis studies in clonal tea (*Camellia sinensis*) (L.) O. Kuntze (Wadasinghe, G) 52(2) 64

Studies on methods of bringing clonal tea into bearing in the Low-country of Sri Lanka (Nathaniel, R K) 54(1) 32

Effect of harvesting on the growth and yield of low grown clonal tea (Nathaniel, R K) 55(1) 14

A strategy to adopt the appropriate genetic diversity for planting clonal tea (Sivapalan, P) 55(2) 53

Preliminary observations on susceptibility of tea clones to white grub, *Holotrichia disparilis* Arrow (Coleoptera: Scarabaeidae) attack (Thirugnanasuntharan, K) 57(2) 68

Quality of CTC teas made from different tea (*Camellia sinensis*, L) clones (Ranaweera, A S) 60(1) 22

Effect of plant population on water use of mature clonal tea (Anandacoomaraswamy, A) 60(2) 46

Nursery plant attributes as criteria for selection of new tea clones (Shanmugarajah, V) 60(2) 76

Correlation of major flavanols of some tea clones with quality of tea (Herath, N)	62 (1)	04
Effect of altitude on shoot development of clonal tea with special reference to clonal selection and harvesting intervals (Balasuriya, J)	64 (1/2)	51
Mineral composition in relation to leaf maturity from 2000, 3000 and 4000 clonal series: Leaf analysis as a guide in tea crop nutrition (Hettiarachchi, L S K)	65 (1/2)	11
Effect of saturation vapour pressure deficit of air on shoot growth of clonal tea ( <i>Camellia sinensis</i> L.) under controlled environmental conditions (Balasuriya, J)	65 (1/2)	46

### **Clonal tea leaves (see leaves)**

### **Chlorophylls**

Influence of levels of nitrogen and potassium fertilizers on chlorophyll content in mature clonal tea leaves (Krishnapillai, S)	55 (2)	71
---	--------	----

### **Climate**

The analysis of some aspects of weather and moisture status of soil in the low country to determine the most suitable time for planting tea (Wadasinghe, G)	56 (2)	58
---	--------	----

### **Colour Mismatch Technique (see Grading)**

### **Cryopreservation**

Germination and desiccation tolerance of tea ( <i>Camellia sinensis</i> (L.) O. Kuntze) seeds and feasibility of cryopreservation (Short Communication) (Chaudhury, Rekha)	59 (2)	89
--	--------	----

## **Cultivation**

Effect of cutting and defoliation on nitrogen uptake by young tea plants ( <i>Camellia sinensis</i> L.) grown in sand culture (Krishnapillai, S)	<b>52 (1)</b>	13
Influence of mother leaf of cutting and of time and frequency of disbudding and decapitation of the new shoot on growth of young tea ( <i>Camellia sinensis</i> . L.) (Kathiravetpillai, A)	<b>52 (2)</b>	56
Ring-barking of young tea plants in new clearings (Arulpragasam, P V)	<b>53 (1/2)</b>	04
Resting of tea fields (Sivapalan, P)	<b>54 (1)</b>	23
Studies on methods of bringing clonal tea into bearing in the Low-country of Sri Lanka (Nathaniel, R K)	<b>54 (1)</b>	32
Effect of grafting fresh cuttings on yield and drought resistance in tea (Pallemulla, D)	<b>61 (2)</b>	45
Effect of different mulching materials on soil properties and growth of young tea (Wijeratna, M A)	<b>63 (1)</b>	04

## **D**

## **Defoliation**

Effect of cutting and defoliation on nitrogen uptake by young tea plants ( <i>Camellia sinensis</i> L.) grown in sand culture (Krishnapillai, S)	<b>52 (1)</b>	13
--	---------------	----

## **Diseases-leaf**

Recent developments in the chemical control of blister blight leaf disease of tea-effectiveness of EBI fungicides (Arulpragasam, P V)	<b>56 (1)</b>	22
---	---------------	----

A preliminary study of the phytoalexins produced in the tea leaf in relation to the blister blight leaf disease caused by *Exobasidium Vexans massee* of tea (Nagahaula, S M)

64 (1/2) 05

### **Diseases-root**

Soft Root rot - a new root disease of tea? (Arulpragasam, P V)

52 (2) 52

An inexpensive and effective method for the control of red root disease of tea (Arulpragasam, P V)

56 (1) 05

### **Disease - Stem**

Ring-barking of young tea plants in new clearings (Arulpragasam, P V)

53 (1/2) 04

### **Diversification**

Decreasing extent of tea plantations. Chance for Agricultural diversification or ecological threat?(Humbel, R)

59 (2) 65

### **Drought**

Effect of grafting fresh cuttings on yield and drought resistance in tea (Pallemulla, D)

61 (2) 45

Studies on tea and drought 1. Some observations on drought effects on physiology of tea (Krishnapillai, S)

61 (2) 59

## **Drying (see Manufacture)**

### **E**

#### **Energy**

Status review of energy utilization by the tea industry in Sri Lanka (De Silva, W C A)	<b>63 (2)</b>	46
Some energy saving achievements of the tea industry in Sri Lanka (De Silva, W C A)	<b>63 (2)</b>	59
Thermal energy demands of the tea industry and the role of fuelwood trees in a self sustaining environment (De Silva, W C A)	<b>64 (1/2)</b>	43
Heat pipe heat exchangers for waste heat recovery (Ramakrishna, P)	<b>64 (1/2)</b>	35

#### **Evapotranspiration**

A method to determine potential evapotranspiration rates in tea plantations (Anandacoomaraswamy, A)	<b>60 (2)</b>	64
---	---------------	----

#### **Export standards**

Tea constituents and export standards of Sri Lanka teas (Sivapalan, K)	<b>54 (1)</b>	26
--	---------------	----

### **F**

#### **Fertilizer**

A comparative study of the efficiency of utilization of urea and ammonium sulphate by mature tea plants using N-15 labelled fertilizers (Wickramasinghe, K N)	<b>53 (1/2)</b>	23
---	-----------------	----

Inhibitory effects of commercial potassium chloride on the nitrification rates of added ammonium sulphate in an acid red yellow podzolic soil (Short Communication) (Golden, D C)	<b>53(1/2)</b>	<b>43</b>
Effect of urea and ammonium sulphate on the nitrification and the release of potassium, magnesium and calcium in acid tea soils (Wickramasinghe, K N)	<b>54(1)</b>	<b>11</b>
Influence of levels of nitrogen and potassium fertilizers on chlorophyll content in mature clonal tea leaves (Krishnapillai, S)	<b>55(2)</b>	<b>71</b>
Effect of urea and ammonium sulphate on sulphur nutrition of tea (Wickramasinghe, K N)	<b>55(2)</b>	<b>77</b>
Effect of increasing levels of phosphate on sulphur mineralization of an ultisol under jungle and tea (Anandacoomaraswamy, S)	<b>56(1)</b>	<b>35</b>
Supply of magnesium for mature tea in Sri Lanka (Sivapalan, P)	<b>57(2)</b>	<b>34</b>
Effect of dolomite on soil reaction and nutrient availability in tea soils (Krishnapillai, S)	<b>61(1)</b>	<b>04</b>
Mineralogy in the clay and silt fractions of Sri Lankan acid tea soils from dolomitic and non-dolomitic sites in relation to magnesium fertilizer applications (Hettiarachchi, L S K)	<b>62(2)</b>	<b>53</b>

### **Field Operations**

Computer programme for the efficient direction of field operations in tea estates (Kandiah, S)	<b>56(1)</b>	<b>48</b>
--	--------------	-----------

## **Fuelwoods**

Thermal energy demands of the tea industry and the role of fuelwood trees in a self sustaining environment. (De Silva, W C A) 64(1/2) 43

## **Fungicides**

Recent development in the control of blister blight leaf disease of tea-effectiveness of EBI fungicides (Arulpragasam, P V) 56(1) 22

*In vitro* studies on fungicides against *Colletotrichum gloeosporoides* (Penz.) Sac-the die back of tea (Mir Ahmad Ali ) 62(1) 25

Effect of pH of copper fungicides on germination of *Exobasidium vexans* (Gunasekara, T S) 61(1) 31

Shade and green manure trees in tea-A holistic appraisal (Sivapalan, P) 62(2) 41

## **G**

### **General**

Proceedings of a symposium on tea production and trends in Sri Lanka-South India (Wickramasinghe, K N) 53(1/2) 29

Decline in tea production in Sri Lanka-A symposium held on 17.3.83 at the TRI Auditorium 52(2) 46

### **Grading (see Manufacture, Grading)**

### **Green tea**

A method for processing of green tea (Samarasingham, S) 59(1) 16

## **Growth**

Effect of growth substances on rooting of slow rooting tea clones (Kathiravetpillai, A)	<b>52 (1)</b>	35
Influence of mother leaf of cutting and of time and frequency of disbudding and decapitation of the new shoot on growth of young tea ( <i>Camellia sinensis</i> . L.) (Kathiravetpillai, A)	<b>52 (2)</b>	56
Growth analysis studies in clonal tea ( <i>Camellia sinensis</i> ) (L.) O. Kuntze) (Wadasinghe, G)	<b>52 (2)</b>	64
Effect of harvesting on the growth and yield of low grown clonal tea (Nathaniel, R K)	<b>55 (1)</b>	14
Effect of soil reconditioning on growth and yield of tea (Anandacoomaraswamy, A)	<b>55 (2)</b>	84
Effect of saturation vapour pressure deficit of air on shoot growth of clonal tea ( <i>Camellia sinensis</i> L.) under controlled environmental conditions (Balasuriya, J)	<b>65 (1/2)</b>	46

## **H**

### **Harvesting**

Effect of harvesting on the growth and yield of low grown clonal tea (Nathaniel, R K)	<b>55 (1)</b>	14
--	---------------	----

### **Herbicides**

Effect of urea and ammonium sulphate on the nitrification and the release of potassium, magnesium and calcium in acid tea soils (Wickramasinghe, K N)	<b>54 (1)</b>	11
--	---------------	----

The use of Oxyfluorfen as a pre-emergent herbicide in tea (Kathiravetpillai, A)	54 (1)	42
Effect of herbicides on urea hydrolysis in tea soils (Wimaladasa, G D)	55 (1)	22
Effect of pre-emergent herbicides on N-mineralization and microbial population (Anandacoomaraswamy, A)	56 (1)	41
Effect of additives on the phytotoxicity of lyphosate to <i>Panicum repens</i> (L.) Beauv. (Kathiravetpillai, A)	58 (2)	118
Effect of levels of organic carbon on the persistency of diuron (3-(3,4-dichlorophenyl)-1-1 dimethyl urea) in an acid sandy soil (Peiris, H S N)	61 (1)	20

## I

### Information Sources

An evaluation of sources of information used by tea plantations in Sri Lanka (Wanigasundara, W A D P)	58 (1)	09
---	--------	----

### Insect Pests

An integrated management strategy to minimize the economic damage to mature tea, caused by the shot-hole borer beetle ( <i>Xyleborus fornicatus</i> Eichh.) (Sivapalan, P)	54 (1)	04
Dietary amino acid requirements of the tea tortrix, <i>Homona coffearia</i> Nietner (Lepidoptera: Tortricidae) reared <i>in vitro</i> (Sivapalan, P)	54 (2)	62
Feeding rates and survival of live wood termites in woody plants (Thirugnanasundaran, K)	56 (2)	67
Preliminary observations on susceptibility of tea clones to white grub, <i>Holotrichia disparilis</i> Arrow (Coleoptera: Scarabaeidae) attack (Thirugnanasundaran, K)	57 (2)	68

Recent observations on resistance and susceptibility of tea clones to the shot-hole borer beetle, <i>Xyleborus fornicatus</i> Eichh. (Coleoptera: Scolytidae) (Thirugnanasundaran, K)	<b>58 (1)</b>	50
Distinctive morphological characters of termites in high and mid grown tea in Sri Lanka (Thirugnanasundaran, K)	<b>58 (2)</b>	104
Clonal susceptibility and population dynamics of tea red spider mite, <i>Oligonychus coffeae</i> Nietner (Acarina: Tetranychidae) under laboratory conditions (Thirugnanasundaran, K)	<b>59 (1)</b>	09
A population model of <i>Helopeltis</i> in Bangladesh tea (Ahamed, M)	<b>61 (1)</b>	24
Environment friendly pest control agents: Use of BIO 1020 to control white grub damage on tea (Vitarana, S I)	<b>65 (1/2)</b>	34

### **Irrigation**

Economics feasibility of trickle irrigation in tea: some preliminary results (Anandacoomaraswamy, A)	<b>54 (2)</b>	84
--	---------------	----

### **J**

### **Jawan (see pesticides)**

### **L**

### **Land use**

Planned landuse for the tea country (Perera, M B A)	<b>58 (2)</b>	92
Comparative study of the relationship of tea yields and area variations due to slopes in hilly terrain using aerial photographs and survey maps (Perera, M B A)	<b>53 (1/2)</b>	11

Assessment of tea areas in Sri Lanka  
(Perera, M B A) 59(1) 37

Application of geographical information  
systems to the tea industry(Turner, S T D) 63(1) 10

### **Leaf analysis**

Mineral composition in relation to leaf  
maturity from 2000, 3000 and 4000 clonal  
series: Leaf analysis as a guide in  
tea crop nutrition. (Hettiarachchi, L S K) 65(1/2) 11

**Live wood termite(see termite)**

### **M**

#### **Made tea**

Tea constituents and export standards  
of Sri Lanka teas(Sivapalan, K) 54(1) 26

Tea cream - a complex story(Sivapalan, K) 55(1) 04

A study of micro-organisms in black tea  
and their activities associated with  
storage(Ekanayake, A) 56(1) 12

Extent of non-enzymic oxidation in  
black tea processing(Ekanayake, A) 56(2) 83

Prediction of out-turn made tea to  
green leaf using simple agroclimatic  
factors (Thevadasan, A) 56(2) 87

Indonesian jasmin tea (Samarasinghem, S) 57(2) 65

An index for assessing the quality of Uva  
seasonal black tea(Yamanishi, Tei) 58(1) 40

Factors affecting quality of tea during  
processing (Agarwal, Beena) 58(1) 64

Effect of sifting of dhool during fermentation on quality of manufactured black tea (Anandavijayan, A)	58 (2)	111
Aluminium in Black tea (Anandacoomaraswamy, S)	59 (1)	04
An improved procedure for the isolation of flavanols from tea leaves (Punyasiri, P A N)	59 (1)	24
Macro and micro nutrients in Sri Lankan black tea and brew (Anandacoomaraswamy, S)	59 (2)	52
Quality of CTC teas made from different tea ( <i>Camellia sinensis</i> , L) clones (Ranaweera, A S)	60 (1)	22
Chemical constituents in different parts of fresh tea flush and their contribution to overall quality in made tea (Herath, N)	60 (1)	36
Effect of rolling method on physical characteristics of rolled tea leaves (Ozdemir, F)	61 (2)	51
Study on the changes of polyphenol oxidase and peroxidase activity during drying and storage of tea (Liyanage, A C)	65 (1/2)	58

## **Magnesium Fertilizer (see Fertilizer)**

### **Manufacture**

Extent of non-enzymic oxidation in black tea processing (Ekanayake, A)	56 (2)	83
Prediction of out-turn made tea to green leaf using simple agroclimatic factors (Thevadasan, A)	56 (2)	87
Study of fermenting rates of clones using chloroform test (Samaraweera, D S A)	57 (1)	24
A Low cost voltage stabilizer for infra-red tea moisture meters used in tea factories (Samaraweera, D S A)	57 (2)	40
Removal of stalk in leafy grades of tea by colour mismatch technique (Samaraweera, D S A)	57 (2)	55

Theoretical basis of estimation of moisture content by capacitance method (Samaraweera, D S A)	58 (1)	56
Factors affecting quality of tea during processing (Agarwal, Beena)	58 (1)	64
Effect of sifting of dhool during fermentation on quality of manufactured black tea (Anandavijayan, A)	58 (2)	111
A method for processing of green tea (Samarasingham, S)	59 (1)	16
Quality of CTC teas made from different tea ( <i>Camellia sinensis</i> , L) clones (Ranaweera, A S)	60 (1)	22
Outturn charts (Ramakrishna, P)	60 (2)	56
Effect of rolling method on physical characteristics of rolled tea leaves (Ozdemir, F)	61 (2)	51
Study on the changes of polyphenol oxidase and peroxidase activity during drying and storage of tea (Liyanage, A C)	65 (1/2)	58

### **Micro-organisms**

A study of micro-organisms in black tea and their activities associated with storage (Ekanayake, A)	56 (1)	12
---	--------	----

### **Moisture**

Theoretical basis of estimation of moisture content by capacitance method (Samaraweera, D S A)	58 (1)	56
--	--------	----

## N

### Nematode

Incidence of nematode damage in the mid-country caused by the burrowing nematode, <i>Radopholus similis</i> (Short Communication) (Gnanapragasam, N C)	52 (1)	41
Influence of inoculum level and temperature on the population build-up and pathogenicity of the Root-lesion nematode ( <i>Pratylenchus loosi</i> Loof) of tea (Gnanapragasam, N C)	53 (1/2)	19
The strategy for replanting eelworm infested areas (Short Communication) (Gnanapragasam, N C)	54 (1)	46
Control of root-lesion nematode, <i>Pratylenchus loosi</i> contaminated tea nursery plants (Gnanapragasam, N C)	56 (2)	95
Varietal responses of pepper to infestation by the burrowing nematode, <i>Radopholus similis</i> (Gnanapragasam, N C)	58 (1)	05
Pathogenicity of the burrowing nematode, <i>Radopholus similis</i> to young tea at different initial density (Gnanapragasam, N C)	58 (2)	83
In vitro culturing of the burrowing nematode <i>Radopholus similis</i> , a serious root pest of tea, on tissue culture raised from carrot and ginger (Gnanapragasam, N C)	59 (2)	82
Entomopathogenic nematodes (Rhabditida: Heterorhabditidae and Steinernematidae) in Sri Lanka as bio-control agents (Amarasinghe, L D)	62 (1)	11
Efficacy of entomopathogenic nematodes to control up-country live-wood termite, <i>Postelectrotermes militaris</i> (Amarasinghe, L D)	62 (1)	16
Effect of "Jawan" a neem based natural pesticide in controlling nematode pests of tea (Gnanapragasam, N C)	62 (2)	47

## Nursery Plants

Control of root-lesion nematode,  
*Pratylenchus loosi* in contaminated tea  
nursery plants (Gnanapragasam, N C) 56(2) 95

## Nutrients

Macro and micro nutrients in Sri Lankan  
black tea and brew Oxidation  
(Anandacoomaraswamy, S ) 59(2) 52

## P

### Pest Control

Entomopathogenic nematodes (Rhabditida:  
Heterorhabditidae and Steinernematidae)  
in Sri Lanka as bio-control agents  
(Amarasinghe, L D) 62(1) 11

Efficacy of entomopathogenic nematodes  
to control up-country live-wood termite,  
*Postelectrotermes militaris*  
(Amarasinghe, L D) 62(1) 16

Potential of using entomopathogenic  
nematodes to control up-country  
live-wood termite (*Postelectrotermes*  
*militaris*) (Amarasinghe, L D) 62(2) 66

Environment friendly pest control agents:  
Use of BIO 1020 to control white grub  
damage on tea (Vitarana, S I) 65(1/2) 34

### Pest & Diseases

Feeding rates and survival of live wood  
termites in woody plants  
(Thirugnanasunderan, K) 56(2) 67

Preliminary observations on susceptibility of tea clones to white grub, <i>Holotrichia disparilis</i> Arrow (Coleoptera: Scrabaeidae) attack (Thirugnanasunderan, K)	57 (2)	68
Recent observations on resistance and susceptibility of tea clones to the shot-hole borer beetle, <i>Xyleborus fornicatus</i> Eichh. (Coleoptera: Scolytidae) (Thirugnanasunderan, K)	58 (1)	50
Distinctive morphological characters of termites in high and mid grown tea in Sri Lanka (Thirugnanasunderan, K)	58 (2)	104
Clonal susceptibility and population dynamics of tea red spider mite, <i>Oligonychus coffeae</i> Nietner (Acarina: Tetranychidae) under laboratory conditions (Thirugnanasunderan, K)	59 (1)	09
Isolation and enumeration of microbial inhabitants of tea phylloplane (Gunasekara, T S)	63 (1)	19
System analysis approach in tea pest Management in Bangladesh (Ahamed, M)	63 (2)	70
<i>In vitro</i> studies on fungicides against <i>Colletotrichum gloeosporoides</i> (Penz.) Sac-the die back of tea (Mir Ahmad Ali )	62 (1)	25
Laboratory evaluation of predatory efficiency of <i>Geocoris ochropterus</i> Fiber (Hemiptera: Lygaeidae) on some common tea pests (Sannigrahi, S)	61 (2)	39

### **Pesticides-Natural**

Effect of "Jawan" a neem based natural pesticide in controlling nematode pests of tea (Gnanapragasam, N C)	62 (2)	47
--	--------	----

### **Physiology**

Effect of cutting and defoliation on nitrogen uptake by young tea plants ( <i>Camellia sinensis</i> L.) grown in sand culture (Krishnapillai, S)	52 (1)	13
--	--------	----

Influence of levels of nitrogen and potassium fertilizers on chlorophyll content in mature clonal tea leaves (Krishnapillai, S)	55 (2)	71
Root influence on shoot development in tea ( <i>Camellia sinensis</i> ) (L.) O. Kuntze) following shoot pruning (Kandiah, S)	55 (2)	94
Studies on tea and drought 1. Some observations on drought effects on physiology of tea (Krishnapillai, S)	61 (2)	59
Effect of altitude on shoot development of clonal tea with special reference to clonal selection and harvesting intervals (Balasuriya, J)	64 (1/2)	51
The effect of post prune operations on soil physical properties and yield of tea (Amarasekara, A R)	65 (1/2)	76

### **Plant Breeding**

Studies on the progenies of a cross between diploid and tetraploid tea (Rashid, A)	54 (2)	54
Performance of promising tea strains ( <i>Camellia sinensis</i> (L.) O. Kuntze) of Kangra Valley in the Hemachal Pradesh (Sharma, K L)	60 (1)	16
Selection criteria for tea (A Review) Shanmugarajah, V)	63 (2)	94

### **Plant Growth Substances**

Effect of sprays of plant growth regulator hydrogen cyanamide (dormax) on yield of tea (Kathiravetpillai, A.)	65 (1/2)	67
---	----------	----

Mineral composition in relation to leaf maturity from 2000, 3000 and 4000 clonal series: Leaf analysis as a guide in tea crop nutrition. (Hettiarachchi, L S K) 65(1/2) 11

### **Plant Protection**

An integrated management strategy to minimize the economic damage to mature tea, caused by the shot-hole borer beetle (*Xyleborus fornicatus* Eichh.) (Sivapalan, P) 54(1) 04

Preliminary observations on susceptibility of tea clones to white grub, *Holotrichia disparilis* Arrow (Coleoptera:Scrabaeidae) attack (Abeysekara, A R) 57(2) 68

A preliminary study of the phytoalexins produced in the tea leaf in relation to the blister blight leaf disease caused by *Exobasidium Vexans massee* of tea (Nagahaula, S M) 64(1/2) 05

### **Plant Residues**

Humification of polyphenol-rich plant residues (Short Communication) (Sivapalan, K) 53(1/2) 47

### **Plucking**

Effect of altitude on shoot development of clonal tea with special reference to clonal selection and harvesting intervals (Balasuriya, J) 64(1/2) 51

### **Proceedings**

Proceedings of a symposium on tea production and trends in Sri Lanka-South India (Wickramasinghe, K N) 53(1/2) 29

## **Production**

Technological inputs and production trends of tea in Sri Lanka (Sivapalan, P) **52 (1)** 05

Proceedings of a symposium on tea production and trends in Sri Lanka-South India (Wickramasinghe, K N) **53 (1/2)** 29

## **Propagation**

Tissue Progress towards the commercial propagation of tea by tissue culture techniques. (Sarathchandra, T M) **59 (2)** 62

## **Pruning**

Root influence on shoot development in tea (*Camellia sinensis*) (L.) O. Kuntze) following shoot pruning (Kandiah, S) **55 (2)** 94

The effect of post prune operations on soil physical properties and yield of tea. (Abeysekara, U P) **65 (1/2)** 76

## **Q**

### **Quality**

An index for assessing the quality of Uva seasonal black tea (Yamanishi, Tei) **58 (1)** 40

Factors affecting quality of tea during processing (Agarwal, Beena) **58 (1)** 64

Effect of sifting of dhool during fermentation on quality of manufactured black tea (Anandavijayan, A) **58 (2)** 111

Quality of CTC teas made from different tea (*Camellia sinensis*, L) clones (Ranaweera, A S) **60 (1)** 22

Chemical constituents in different parts of fresh tea flush and their contribution to overall quality in made tea (Herath, N) **60 (1)** 36

Correlation of major flavanols of  
some tea clones with quality of tea  
(Herath, N) 62(1) 04

## R

### Red Spider Mite (see Insects)

### Rehabilitation & Replanting, land

Effect of soil reconditioning on  
growth and yield of tea  
(Anandacoomaraswamy, A) 55(2) 84

Economics of rehabilitating tea land  
before replanting:some exploration  
(Anandacoomaraswamy, A) 55(2) 89

The strategy for replanting eelworm  
infested areas (Short Communication)  
(Gnananpragasam, N C) 54(1) 46

### Rolling methods (see Manufacture)

## S

### Seasonal variations

Varietal and seasonal variations in  
chemical constituents of tea (*Camellia  
sinensis* (L.) O. Kuntze) in Himachal  
Pradesh (Sud, R G) 58(1) 73

Estimation and seasonal variations of  
macro and micro nutrients in tea of  
Himachal Pradesh (Sud, R G) 59(1) 29

## Shade & Shade Trees

- Effect of inter-planting dadaps (*Erythrina lithosperma*) in tea (*Camellia sinensis*) on soil physical properties of an ultisol (Anandacoomaraswamy, A) 57 (1) 11
- Effect of shade, water supply and nitrogen on the distribution of mineral nutrients and total carbohydrate resources in young tea (*Camellia sinensis* (L.) O. Kuntze) (Kulasegaram, S) 52 (1) 21
- Shade and green manure trees in tea-A holistic appraisal (Sivapalan, P) 62 (2) 41

## Soil

- Humified phenol-rich plant residues and soil urease activity (Sivapalan, K.) 52 (1) 31
- Inhibitory effects of commercial potassium chloride on the nitrification rates of added ammonium sulphate in an acid red yellow podzolic soil (Short Communication) (Golden, D C ) 53 (1/2) 43
- Effect of urea and ammonium sulphate on the nitrification and the release of potassium, magnesium and calcium in acid tea soils (Wickramasinghe, K N) 54 (1) 11
- Effect of herbicides on urea hydrolysis in tea soils (Wimaladasa, G D) 55 (1) 22
- The influence of methods of weed management in tea on the surface layer soil properties of an ultisol (Anandacoomaraswamy, A) 55 (1) 28
- Effect of soil reconditioning on growth and yield of tea (Anandacoomaraswamy, A) 55 (2) 84
- Effect of increasing levels of phosphate on sulphur mineralization of an ultisol under jungle and tea (Anandacoomaraswamy, S) 56 (1) 35

Fate of biuret in tea soils(Fernando, V)	<b>57 (1)</b>	05
Effect of inter-planting dadaps ( <i>Erythrina lithosperma</i> ) in tea( <i>Camellia sinensis</i> ) on soil physical properties of an ultisol (Anandacoomaraswamy, A)	<b>57 (1)</b>	11
Assessment of soil potassium and its uptake by ryegrass (Wimaladasa, G D)	<b>57 (2)</b>	73
Effect of increasing level of lime (CaCO <sub>3</sub> ) on soil chemical properties of acid soils (Anandacoomaraswamy, S)	<b>60 (1)</b>	04
Effect of levels of organic carbon on the persistency of diuron (3-(3,4-dichlorophenyl)-1-1 dimethyl urea) in an acid sandy soil (Peiris, H S N)	<b>61 (1)</b>	20
Mineralogy in the clay and silt fractions of Sri Lankan acid tea soils from dolomitic and non-dolomitic sites in relation to magnesium fertilizer applications (Hettiarachchi, L S K)	<b>62 (2)</b>	53
The effect of post prune operations on soil physical properties and yield of tea (Amarasekara, A R)	<b>65 (1/2)</b>	76

### **Soil-Acidity**

Effect of urea and ammonium sulphate on the nitrification and the release of potassium, magnesium and calcium in acid tea soils (Wickramasinghe, K N)	<b>54 (1)</b>	11
---	---------------	----

### **Soil- Erosion**

Minimising soil erosion on tea estates in respect of manual weed control (Sivapalan, P)	<b>52 (2)</b>	81
Soil erosion control measures for tea land in Sri Lanka (Krishnarajah, P)	<b>54 (2)</b>	91

## Soil-Fertility

Inhibitory effects of commercial potassium chloride on the nitrification rates of added ammonium sulphate in an acid red yellow podzolic soil (Short Communication) (Golden, D C)	<b>53 (1/2)</b>	43
Effect of urea and ammonium sulphate on the nitrification and the release of potassium, magnesium and calcium in acid tea soils (Wickramasinghe, K N)	<b>54 (1)</b>	11
Effect of soil reconditioning on growth and yield of tea (Amarasekara, A R)	<b>55 (2)</b>	84
Effect of herbicides on urea hydrolysis in tea soils (Wimaladasa, G D)	<b>55 (1)</b>	22
Effect of increasing levels of phosphate on sulphur mineralization of an ultisol under jungle and tea (Anandacoomaraswamy, S)	<b>56 (1)</b>	35
Effect of increasing level of lime (CaCO <sub>3</sub> ) on soil chemical properties of acid soils (Anandacoomaraswamy, S)	<b>60 (1)</b>	04
Mineralogy in the clay and silt fractions of Sri Lankan acid tea soils from dolomitic and non-dolomitic sites in relation to magnesium fertilizer applications (Hettiarachchi, L S K)	<b>62 (2)</b>	53
Effect of different mulching materials on soil properties and growth of young tea (Wijeratna, M A)	<b>63 (1)</b>	04

## Soil-Humus

Humified phenol-rich plant residues and soil urease activity (Sivapalan, K)	<b>52 (1)</b>	31
The biochemistry of soil humus-some current concepts (Sivapalan, K)	<b>55 (2)</b>	58

## Storage of Tea

- A study of micro-organisms in black tea and their activities associated with storage (Ekanayake, A) 56(1) 12
- Study on the changes of polyphenol oxidase and peroxidase activity during drying and storage of tea (Liyange, A C) 65(1/2) 58

## T

### Tea tortrix (see Insects)

### Termite

- Efficacy of entomopathogenic nematodes to control up-country live-wood termite, *Postelectrotermes militaris* (Amarasinghe, L D) 62(1) 16
- Potential of using entomopathogenic nematodes to control up-country live-wood termite (*Postelectrotermes militaris*) (Amarasinghe, L D) 62(2) 66
- Pathogenicity of entomopathogenic agents against termites employing insecticidal bioassay with borax-toxicity method (Samarasinghe, Seetha M) 63(2) 78

### Tissue Culture

- Callus formation from explanted organs of tea (*Camellia sinensis* L.) (Sarwar, M) 54(1) 18
- Studies on the tissue culture of tea (*Camellia sinensis* (L.) O. Kuntze). 1. Development of a culture method for multiplication of shoots (Arulpragasam, P V) 55(1) 44

Studies on the tissue culture of tea ( <i>Camellia sinensis</i> (L.)O.Kuntze). 2.Rooting of shoots produced in culture(Senaviratne, Poorna)	<b>57 (1)</b>	16
Studies on the tissue culture of tea ( <i>Camellia sinensis</i> (L.) O. Kuntze) 3. Regeneration of plants from cotyledon callus culture(Arulpragasam, P V)	<b>57 (1)</b>	20
Studies on the tissue culture of tea( <i>Camellia sinensis</i> (L.) O. Kuntze).4.Somatic embryogenesis in stem and leaf callus culture (Sarathchandra, T M)	<b>57 (2)</b>	50
Progress towards the commercial propagation of tea by tissue culture techniques (Sarathchandra, T M)	<b>59 (2)</b>	62
In vitro culturing of the burrowing nematode <i>Radopholus similis</i> , a serious root pest of tea, on tissue culture raised from carrot and ginger(Gnananpragasam, N C)	<b>59 (2)</b>	82
An in vitro and ex vitro rooting of micropropagated shoots of tea ( <i>Camellia spp.</i> ) (Rajasekaran, P)	<b>64 (1/2)</b>	12
Root formation on in vitro micro-propagated shoots of <i>Camellia sinensis</i> L. (Sarathchandra, T M)	<b>65 (1/2)</b>	05

## V

### Vegetative Propagation

Effect of growth substances on rooting of slow rooting tea clones (Kathiravetpillai, A)	<b>52 (1)</b>	35
A strategy to adopt the appropriate genetic diversity for planting clonal tea (Sivapalan, P)	<b>55 (2)</b>	53
Interaction between IBA, certain micro-nutrients and phenolic acids in relation to rooting of tea cuttings(Rajasekara, R)	<b>58 (1)</b>	25
Adventitious root formation in tea cuttings planted in different dates(Hamid, F S)	<b>60 (2)</b>	70

Nursery plant attributes as criteria for selection of new tea clones (Shanmugarajah, V) 60(2) 76

Selection criteria for tea (A Review) (Shanmugarajah, V) 63(2) 94

## W

### Water Activity

Water activity in tea (Thevadasan, A) 54(2) 78

Water activity in relation to the size of black tea particles (Thevadasan, A) 58(2) 87

### Weeds

Management of *Crassocephalum crepidiodes* and *Erigeron sumatrensis* in High-grown tea (De Silva, M S D Luxmei) 63(1) 28

### Weed Control

Minimising soil erosion on tea estates in respect of manual weed control (Sivapalan, P) 52(2) 81

The influence of methods of weed management in tea on the surface layer soil properties of an ultisol (Anandacoomaraswamy, A) 55(1) 28

### Weed Management (see Weed Control)

### Weedicide

Use of oxyfluorfen as a pre-emergent weedkiller in young tea (Sandanam, S) 54(2) 73

Effect of levels of organic carbon on the persistency of diuron (3-(3,4-dichlorophenyl)-1-1 dimethyl urea) in an acid sandy soil (Peiris, H S N) 61 (1) 20

### Withering Troughs

Electronic Servocontrol for withering troughs (Ediriweera, D P) 60 (1) 30

### Y

### Yield

Comparative study of the relationship of tea yields and area variations due to slopes in hilly terrain using aerial photographs and survey maps (Perera, M B A) 53 (1/2) 11

Effect of harvesting on the growth and yield of low grown clonal tea (Nathaniel, R K) 55 (1) 14

Effect of soil reconditioning on growth and yield of tea (Anandacoomaraswamy, A) 55 (2) 84

Effect of grafting fresh cuttings on yield and drought resistance in tea (Pallemulla, D) 61 (2) 45

Effects of environmental factors on growth and yield of tea (*Camellia sinensis* L.) in the low-country wet zone of Sri Lanka (Wijeratna, M A) 64 (1/2) 21

Effect of sprays of plant growth regulator hydrogen cyanamide (dormax) on yield of tea (Kathiravetpillai, A) 65 (1/2) 67

The effect of post prune operations on soil physical properties and yield of tea (Amarasekara, A R) 65 (1/2) 76

## SUBJECT INDEX

### A

- Abaxial..
  - surface ...55 40
  - wax ...55 40
- Acacia decurrens* ...56 67
- Acarina:Tetranychidae ...59 09
- Accelerated storage ...56 13
- Acetocarmine ...54 55
- Acid sandy soil (see soil)**
- Acid soil (see Soil)**
- Acidity-soil (see also soil acidity)**
- Active ingredient ...56 42
- Adaxial..
  - surface ...55 40
  - wax ...55 40
- Aerial photographs ...53 11 58 94
- Affinities ...54 78
- Affinity for water ...54 78
- Agar ...54 64 59 63
- Agathis alba* ...56 68
- Ageratum conyzoides* ...54 76,77
- Agricultural..
  - development schemes ...58 96
  - diversification ...59 65,72
  - information ...58 10
  - knowledge system ...58 23
  - system ...58 10
- Agro-climate zone ...54 91
- Agro-climatic..
  - conditions ...58 73
  - factors ...60 22
  - regions ...61 04
- Agro-ecological..
  - margins ...54 91 59 65
  - regions ...59 72
  - regions ...58 99
- Air photo ...59 67
- Alanine (see Amino acid)**
- Albizia*..
  - chinensis* ...56 67
  - falcata* ...56 68
  - moluccana* ...56 67
  - moluccana* ...56 05
- Alfisols (see soils)**
- Altitude ...58 51 64 51
- Aluminium..
  - ...52 22,24,25,27 54 12,1455 32
  - 56 38 59 04-08,52,53,56
  - 60 04-07,14 61 04
  - saturation ...60 05,07,09,10,14

toxicity	...50 04
Amino acid ..	...54 62, 63, 65, 67, 70 58 65, 75, 76
	...59 16, 25
Alanine	...54 65, 67, 70
Ammonia	...56 35
Ammonium..	...52 32, 54 12 56 38
acetate	...56 37
chloride	...53 45
ions	...54 12 55 22-24 57 74, 75
nitrogen	...56 43-45
sulphate	...53 23, 24, 26-28, 43, 54 12, 14, 55
	...56 37, 38, 57 05
<b>Ammonium sulphate (see also Fertilizer)</b>	
Anatomical	...54 55
<b>Anomala dussumeri Blanchard (see Insect Pests)</b>	
<b>Anomala mundissima Walker (see Insect Pests)</b>	
<b>Anomala Walkeri Arrow (see Insect Pests)</b>	
Antagonism	...54 70
Antibiotics	...64 05
Antifungal	...64 05
agents	...54 63
compounds	...64 05
Apex	...54 55
Apical..	...62 25
dominance	...55 14
Aerial photograph	...59 42
Arginine	...54 64, 66-68, 71
Aroma	...58 68, 69 60 37
<i>Artemisia vulgaris</i>	...54 77
<i>Artocarpus integra</i>	...56 68
Ascorbic acid	...59 63, 64
Aseptic	...54 69
Ash content	...52 86
Aspartic	...54 64, 65
<i>Aspergillus</i>	...56 17
Assessment of tea areas	...59 37
Assimilation of Nitrogen	...52 13
Astringency	...55 12 56 17
Atmosphere	...54 78
Audio-visual programme	...52 08
Autoclaving	...55 45 59 63
Auxin..	...54 21 57 16 58 25 59 64
	64 13, 17
IBA	...59 62-64 64 15, 17, 19
NAA	...52 36-39 64 15, 17
Auxin solutions(chronic auxin treatment)	...64 13
Axillary..	
buds	...53 38 55 44-46
shoot production	...55 14
Azasterols	...54 04

<b>B</b>	
Bacteria	...56 12, 59 82 63 78
Bacteriostatic effect	...56 17
Baerman Funnel technique	...53 20
Bangladesh..	
black tea	...61 15
tea pests	...63 70-77
Banlate (benomyl)	...56 06,10
Base saturation	...60 07,11,14
Basic cations	...60 04,05
<b>Baycor (see Bitertanol)</b>	
<b>Bayleton (see Triadimefon)</b>	
<b>Beauveria bassiana (see also Entomogenous fungi)</b>	
<i>Beauveria bassiana</i>	...54 05 63 80,88
Beetle..	
Cockchafer beetle	...57 68
Shot-hole Borer	...54 04,05,08,09,24 58 50
Scolytid	...54 05
Benlate	...52 39
Benzile Amino Purine(BAP)	...57 51 59 62,63,64
Benzotropolone ring	...55 05
Benzyl..	
alcohol	...58 68
aminopurine	...64 13
Beverage	...59 04,52
<b>Bi-clonal seedlings (see seedling)</b>	
<i>Bidens pilosa</i>	...54 77
Bio-assay technique	...63 78,83,86
Biochemical..	
basis	...54 04
process	...61 15
Biochemistry of tea	...59 24
Bio-control agents	...63 77 62 66
Biogas	...53 40
Biological control	...59 82 61 39 62 46
Biomass	...63 46 64 43
Biometric	...54 61
Biosynthesis	...54 18
Bis-flavonols	...58 65
Bitertanol	...56 25-27,30
Biuret..	...57 05-09
degradation	...57 09
toxicity	...57 06
Bivalents	...54 55,57
<b>Black root disease (see Disease, root)</b>	
<b>Black tea manufacture (see Manufacture)</b>	
Black tea	...52 08,32,84,86,87,88 53 48,49
	58 64,111,87-89
	59 04,05,16,52,54-56,60 60 22
chemical characteristics	...58 87
microbiology	...56 12

**Black tea processing (see Processing)**

Blackness ...55 75, 62 32

**Blister blight (see Diseases, leaf)**

Blister blight spores ...64 06

BM ...56 14, 59 52

BOP ...56 14, 59 52

BOPF ...56 14, 59 52

Borax extractable P contents ...56 37, 38

Borax Toxicity Method ...63 78

Branch breakage ...54 09

**Branch canker (see Disease)**

Branch ...52 61

Breakdown products ...56 85

Brew ...59 60

Brewing time ...59 06-08

Bright &amp; dark liquoring clones ...55 54

Bright colour ...54 27

Brisk liquor ...54 27

Briskness ...54 28

Brood development ...54 09

Browning ...55 46

Bud.. ...59 04, 63, 64 60 40

and two leaves ...55 14

growth ...52 17

Bulk density ...55 29 58 56

storage ...56 13

**Burrowing nematode (see Nematode)**

Bush..

formation ...52 56

population ...52 11

spread ...60 47, 53

**C**

Cadmium ...59 56, 60

Caffeine ...54 18, 28 55 08, 11, 12, 40

58 69, 75-77, 59 52, 56, 61 06

**Calcium deficiency (see Deficiency)**

Calcium.. ...52 22 53 24 54 11, 12, 14, 17

...55 22 59 04, 33, 35 60 05, 07

ammonium nitrate(CAN) ...53 24, 30-32 54 11

carbonate ...54 17

magnesium carbonate ...60 04

oxide ...60 04

**Calixin see Tridemorph***Calliandra calothyrsus* ...62 45

Callus..

culture ...54 18 57 20

formation ...54 19, 21 57 53

induction ...54 19

tissues ...59 82

*Camellia..*    *japonica* ...64 17

<i>sinensis</i>	...54 18,84 59 04,62,64
Capacitance method	...58 56,57
Carbohydrate..	...52 13,25 59 25
metabolism	...55 77
resources	...52 22,29,26,27
status	...52 18
Carbon	...56 45
Carboxin	...56 23
Casein hydrolysate	...54 63,69,70
<i>Casuarina</i>	...56 67
Caterpillars	...54 67
Catechin..	...58 69 59 24,27 62 04
gallate	...55 11
Cation exchange capacity (CEC)	...55 32,65 56 39 60 04,06,07
Cation exchange sites	...55 22,23
Cationic surfactant	...58 119
<i>Cedrella toona</i>	...56 67
Cell turgor	...64 22
<b>Chafers or cockchafers (see Insect pests)</b>	
Charcoal	...53 40
Chekiang Green Tea Model 180	...59 17
<b>Chemical weed control (see weed control)</b>	
<b>Chemical weeding (see weeding)</b>	
Chemistry of tea	...59 24
Chena system	...58 92,94
Chinese jasmine tea	...57 67
Chinese tea	...59 07,08
Chloroform test	...57 24,25
Chlorophyll	...55 71,72,74, 56 85 62 32,35
Chromosome	...54 61
<b><i>Cladosporium fulvum</i> (see Fungi)</b>	
Clay..	...62 53,54,58,63,64
loam	...52 31
minerals	...54 14
Clayloma	...53 47
Clean pruned plant (CP)	...55 96-100
Clean weeding	...52 81,83
Cleft grafting	...61 45,46
Climatic	...59 65
Cl-ions	...53 43,45
Clonal..	
characteristics	...60 22
differences	...64 29
selection	...52 06,07 60 76
variation	...64 24
Clones	...52 07,35,39,55,66,67,71,75,77
	54 09 55 55-57 57 18,46 58 50
	59 09,10,62 60 22-27,76-78,83
	61 45-50 62 04,06-10,34
	64 68,70,76
Clorox	...57 50
Cloves	...59 37
Cluster system	...58 101

C-N ratio	...53	49
<b>Cockchafer beetle (see Beetle)</b>		
Coconut plantation	...58	94
Coffee	...58	92-94 59 65
Coffee leaf trust disease	...58	92
<b>Coffee leaf trust disease (see also Hemilia vastarix)</b>		
Colarado potato beetle	...54	70
<b>Colarado potato beetle (see also Leptinotarsa decemlineata)</b>		
<b>Collar-rot (see Disease)</b>		
<b>Coller canker (see Disease)</b>		
<i>Colletotrichum gloeosporoides</i>	...62	25
Colour	...54	28, 55
mismatch technique	...57	55
<i>Commellina</i>	...54	76
<i>benghalensis</i>	...54	77
<i>nudiflora</i>	...54	77
Common timber	...56	78
Communication..	...58	09, 10
tools	...58	24
channels	...58	23
link	...58	19-21
processes	...58	24
strategies	...58	09
Composite capacitance	...58	57
Composition	...57	49
Compounds	...59	25
Computer programme	...56	48
Confidence limits	...58	62
Constituent	...54	78
Contaminated	...52	41 54 46
Contour..	...54	94
planting	...59	67
<b>Control of weeds (see Weed control)</b>		
Control system	...60	31
<b>Conventional dryers (see Dryers)</b>		
Cooling	...59	20
Copper..	...52	27 56 28, 30, 85
based formulation	...59	34, 35, 52, 53, 56, 60
formulations	...56	22
fungicides	...61	31-33
Corn roots	...59	83
Correlation coefficient	...54	82
Cotyledon..	...57	16, 20, 22 59 62
callus	...55	44, 46 57 20
pieces	...55	47
<b>Couch grasses (see Grasses)</b>		
Cover crops	...53	30
<i>Crassocephalus crepidiodes</i>	...54	77
Cream of tea	...59	56
Creaming	...55	05
Crop..		
Growth Rate (CGR)	...52	65

productivity	...52	47
protection	...52	07
<i>Crostalaria</i>	...62	45
<i>anagyroides</i>	...56	67
<b>CTC manufacture (see Manufacture)</b>		
<i>Ctencecera</i> ..		
<i>decemlineata</i>	...54	70
<i>destructor</i>	...54	70
Cultivars	...63	94
Culture	...59	62-64
Cultural..		
operations	...52	07,08
practice	...52	07,13
Cuprous oxide	...56	24-26
Curve fitting technique	...52	77
Cuticle	...55	36
Cuticular transpiration	...55	40
Cuttings	...52	37
Cycle permanance	...63	71
<i>Cymbopogan confertiflorus</i>	...53	47 55 69,84-88,90
<i>Cynodon</i>	...53	39
Cysteine	...54	70
Cystine	...54	63-65,67
Cytokinin	...54	21 59 64
Cytological studies	...54	55,57
Cytokinins	...55	100

## D

Dadap..	...52	32 53 32,47-49 56 05 62 44
leaf	...52	84,86 - 88
<b>Dadap (see also <i>Erythrina lithosperma</i>)</b>		
Dalapon	...54	73
Daploid parent	...54	57
Darjeeling	...54	31 61 39,40
Dark colour	...54	27
Dead plants	...52	52
Debilitation	...54	09
Decaffeination	...55	04,11,12
Decapitation	...52	57,62
Decreaming	...55	11
De-enzyming	...59	16
Deep..		
forking	...56	11
planting	...53	07,08
Deficiency..		
symptoms	...52	27
Calcium	...60	04
Defoliation..	...52	17 55 97-101 57 68 59 09
	62	43
mother leaf	...52	56
Degallation	...55	04,11,12

Degenerated	...59	67
Deletion studies	...54	70
Density	...58	57
Dental caries	...59	60
Desirable tea	...54	27
<i>Desmodium</i>	...52	82
Desorpting..		
absorbed moisture	...54	82
tea dhools	...54	82
isotherm	...54	80
Development strategies	...52	09
Dhools	...56	83 58 88,111,114
Dichlorophenyl	...56	42
Die-back	...52	07,8,13,17,19,52 54 09,24
	62	25,46
Dielectric constant	...58	57
Dietary ingredients	...54	70
Diet-deletion	...54	63
Diets	...54	67
Diploid	...54	55,57
Dipping technique	...64	15
<i>Dipterocarpus cornutus</i>	...56	68
Disbudding	...52	57,58,61,62
Disc micrometer	...54	55
Discriminatory shear plucking	...53	38
Disease..	...52	06,08 56 22
Branch canker	...53	05
causing organisams	...54	10
Coller canker	...53	05
Collar rot	...53	07
leaf-Blister Blight	...53	35 56 22 61 31 62 46
	64	05
tolerance	...52	07 60 22
<i>Macrophoma</i>	...53	05,08
root..	...52	52,53
Black root	...53	09
<i>Phomopsis</i>	...53	05,06,89
Red root	...56	05,11
<i>Rosellinia</i>	...53	06,08,09,10
Soft root rot	...52	52,55
Diuretic effect	...59	52
<b>Diuron (see Herbicides)</b>		
Diversification of tea lands	...59	37
Dolomite	...57	34-36 61 04,05,08-14
Dolomitic limestone	...62	54,57, 58
<i>Doona gardneri</i>	...56	05
Dormant	...52	52
Dormax	...64	67,70-74,76
<b>Dormax (see also Hydrogen Cyanamide)</b>		
Double node cuttings	...61	46
Drainage	...59	67
Driers	...52	08
Conventional dryers	...53	41 58 113 63 53,61,62

	64 44
Fluid Bed Dryers	...53 41 58 87 63 53, 57, 59, 61
	64 44
Vibro Fluid Bed Dryers	...64 36
Drought..	...52 06, 07 53 29 61 49
conditions	...52 67
resistance	...55 36, 37, 40
tolerance	...60 22, 46 61 45, 46, 50
Dry..	
matter	...52 61, 66 58 57
spell	...52 52
weather	...52 53
weight - plants	...52 37
weight - roots	...52 37
weight - shoots	...60 82, 83, 86
Drying	...53 39 59 21 63 48, 49, 52, 56
	64 35, 46, 49
<i>Drymaria cordata</i>	...54 77
Duncan's New Multiple	
Range Test (DNMRT)	...60 23, 25, 26
<i>Durio zipethinus</i>	...56 68
Dust	...59 52
<b>E</b>	
<i>E. vexans</i>	...56 24
E-2-hexenal	...58 45, 66-68
Earthworm	...62 42
EBI fungicides	...56 33
Ecological..	
balance	...58 98
hazards	...59 65
variables	...59 65
Economic ..	
feasibility	...54 84
productivity	...52 06
viability	...54 85
harvesting	...55 16
rehabilitating tea lands	...55 89
Ecosystem	...61 39
<b>ECP (see Driers)</b>	
<b>eelworm see (Nematodes)</b>	
Effect of altitude	...64 51
Effective Cation Exchange	
Capacity	...60 04, 07, 13, 14
Electrical energy	...53 39
Electronic servovontrol	...60 30
Electro-ultrafiltration (EUF)	...57 74
Elements	...59 52, 63
Elevation	...54 91 64 68
Elliptical	...54 55
Embryo	...59 62

<i>Emilia javanica</i>	...54 77
<b>Endless Chain Pressure (ECP) dryer see Dryer</b>	
<b>Endless Chain Tray Driers (see Driers)</b>	
Energy..	
Heat	...53 39
Thermal	...63 52, 59 64 35
Solar	...63 69
sources	...53 39
utilization	...63 46
Entomogenous fungus	...54 05
<b>Entomopathogenic fungi (see Fungi)</b>	
<b>Entomopathogenic nematodes (see Nematodes)</b>	
Entomopathogenic nematodes	...62 11, 14-16, 18, 23
Entomophagy	...61 42
Environmental..	
factors	...64 21
conditions	...58 83
system	...58 11
Enzymes..	...54 69
activity	...61 15-18
oxidation	...56 83, 84
reactions	...54 82
Enzymic oxidations	...58 68
Epicatechin..	...55 11 59 24, 27
gallate	...56 83 59 24, 27
Epicuticular wax	...55 11, 37
Epigallocatechin..	...59 24, 27
gallate	...56 83 59 24, 27
Eppawella apatite	...56 35
Equilibration	...58 87
Equilibrium..	...54 78 57 76 58 57
moisture content	...54 78, 79, 82
relative humidity	...54 78, 79, 80
<i>Eragrostis curuvla</i>	...55 84-88 64 76, 78
Ergosterol-biosynthesis	
inhibitors (EBI's)	...56 23-25
<i>Erigeron sumatrensis</i>	...54 77
Erodibility	...54 93
Erosion	...52 09 54 95
Erosivity	...54 93
<i>Erythrina lithosperma</i>	...53 47 56 67 57 11-13
Ethanol	...59 62
Ethokem	...58 119
<i>Eucalyptus</i>	...56 67
<i>Eucalyptus grandia</i>	...64 47, 48
<b><i>Eucalyptus grandis</i> (see Firewood species)</b>	
<i>Eugenia polyantha</i>	...56 68
<i>Eupatorium riparium</i>	...54 77
<i>Eusideroxylon zwageri</i>	...56 68
Evaporation	...54 84 60 48, 64
Evapotranspiration (ET)	...60 46, 47, 64
<b>Evergreen rain forest (see Forest)</b>	
Ex vitro	...64 12, 17, 19

Exchange capacity	...52 84
Exchangeable..	
acidity	...60 04,06,07,14
Ammonium Nitrogen	...56 43
bases	...60 06
potassium	...56 39
cations	...59 04
<i>Exibasidium</i>	...64 05,08
<b>Exobasidium vexans (see Fungus)</b>	
<i>Exobasidium vexans</i>	...61 31,34 64 10
Exogenous	...54 70
Exotic teas	...54 29
Explant	...55 45,46
Explant browning	...54 18,19,21
Export..	
Agriculture	...58 92
crops	...58 94 59 37
Exposed galleries	...54 06
Extension..	...58 09
practitioners	...58 23
programmes	...58 24
service	...52 05,08 58 23
workers	...58 24
Extraction of polyphenols	...59 25
<b>F</b>	
Factory machinery	...53 39 52 08,47
<i>Fagus sylvatica</i>	...56 68
Fannings	...59 52,53
Farming systems	...58 09
Fat body	...54 69
Fatty acid	...54 63 57 49
<b>FBD (see Driers)</b>	
<b>Fe (see Iron)</b>	
Feecal pellets	...54 68
Feeder root	...52 54,55 55 96,97
Feeding activity	...54 71
Fenamiphos	...56 96
Fensulfothion	...56 96
Fenthion	...54 08
<b>Fenuron see (Herbicides)</b>	
Fermentation..	...56 83 57 24,25,28 58 111-114,
	63 48
period	...60 22, 23
temperature	...60 23
Fermenting..	...56 85 58 117
dhool	...54 82 58 116
Ferns	...59 65
Ferrous	...54 12
Fertilizer..	...52 09,11,34 53 23-26,30-32
	54 11 55 22 60 04 62 53,41,54

applications	...53 32
mixtures	...53 30
NPK	...55 75 56 36,37
policy	...53 30
recommendation	...53 32, 36
requirements	...52 21 53 31
Sulphate of ammonia(SA)	...53 24,30-32 55 22,23 77-79
	56 38
artificial	...52 82
Nitrogen	...53 23 60 04
Potassium	...55 71
SO <sub>4</sub> -S	...55 80
Sulphur nutrition	...55 77
Zinc sulphate	...55 80,84,90
<i>Ficus ampelas</i>	...56 68
Field operations	...56 48,49
Firewood species..	
<i>Eucalyptus grandis</i>	...64 38
Firewood	...63 62
Firing	...58 111 59 21 63 48,49,52,56
Flavanols	...56 84,85 57 24 58 65 62 4
Flavour..	...54 31 55 54 58 40,64 60 36
index	...58 112-114,116
Flavoury teas	...54 29
<b>Fluid Bed Drier - FBD (see Driers)</b>	
Fluoride	...59 60
Flush	...53 27,35 55 14 59 04,35 60 36
<b>Flushworm (see Insect pests)</b>	
<i>Fogus sylvatica</i>	...56 81
Foliage	...52 17 53 37 58 92
<i>Fomes lucidus</i>	...52 53
Food stuffs	...54 78
Forest..	...58 92 59 72
Evergreen rain	...58 96
Tropical rain	...59 65
Virgin rain	...58 96
Forking	...56 10
Fossil fuel	...52 11 63 57
Frame development	...54 23
Frame-wood	...54 05,06
Fruit trees	...58 92
Fuel-wood	...53 40 63 46,54,57,
	64 43,44,46,48
	...52 84,86 53 48 55 60,64
Fulvic acid(FA)	
<b>Fumigated soil (see Soil)</b>	
Fungi..	...52 54,55 59 82 63 78
<i>Cladosporium fulyum</i>	...64 07, 08,09
Entomopathogenic	...63 80
<i>Hypoxylon</i>	...53 35
<i>M.anisopliae</i>	...63 78
Fungicides	...52 36 56 06,07,10,11,
	23-27,30-33 62 27

Fungus..	...53 05,07 56 22
<i>Exobasidium vexans</i>	...56 22 61 31-33 64 05
Furnace	...59 17

## G

Gallated tea polyphenols	...55 11
Gallic acid	...55 05
Gallocatechin	...59 24,27
Galloyl groups	...55 11
Gasifier system	...63 65
Gautemala grass	...52 32,84,86-88 56 07,39
Genetic..	...54 61
diversity	...55 53
variability	...54 54,93 63 94
Genotypes	...63 97
<b><i>Geocoris ochropterus</i> (see Insect pests)</b>	
Geographic distribution	...59 67
Geometrically corrected images	...59 42
<i>Geosmithia putterilli</i>	...56 17
Geraniol	...58 68
Germination	...54 55,57 56 24 61 31,34
Gibberelic acid	...52 54
Gibberellins	...55 100
Girdling	...53 05
<i>Gliricidia</i> ..	...52 08 53 32
<i>sepium</i>	...56 67 62 44
Glutamic	...54 64,65,67
Glycosides	...58 70 59 24
Glyphosate	...54 73 55 23,24 58 118-120
<i>Glyptotermes dilatatus</i>	...56 67-70,78,80,81 62 46
<i>Gnaphalium spp.</i>	...54 77
<b>Golden clone (see clones)</b>	
Grades of tea	...59 05,06,60
Graft combinations	...61 46-49
Grafting	...61 46,49,50
Grass..	...58 92 59 65
Couch grasses	...58 118
Perennial	...58 118
<i>Gravillea robusta</i>	...62 44
Green..	
crops	...62 25
leaf	...59 29,33
manure	...57 11 62 41,44
tea	...57 65 58 64 59 16,30,33,60
<b>Green tea processing technique (see Manufacture)</b>	
<i>Grevillia robusta</i>	...56 67
Ground chalk	...60 04
Growth..	...52 35,57,61,67 55 84 64 21,67
analysis	...52 64,67
components	...52 64,67
room	...59 63

Grub ...53 07  
 Guard cells ...54 54  
 Guatemala ...53 21,47,48,49 55 69,84-88,90  
                   64 76,78

**Guatemala (see also *Tripsacum laxum*)**

Guinea grass ...55 84-88

**Guinea grass (see also *Panicum maximum*)**

**H**

Harvest ...53 28 55 16,18,20  
 Harvesting ...57 29 55 15,17,19,20 64 51

**Heat energy (see Energy)**

Heat pipe heat exchangers (HPHE) ...64 35,38,41

Hedges ...61 40

*Hedyotis* spp. ...54 77

***Helopetlis* (see Insect pests)**

*Hemilia vastarix* ...58 92

Henderson equation ...54 80

Herbaceous plants ...59 62

Herbicides..  
                   ...52 49,82 54 73  
                   55 22-24,28,30,32,34  
                   56 39,42,43,46 58 118,120

    Diuron ...54 73,74 55 22,23,24 56 42  
                   61 20-22

    Kaolinite ...57 35

    Paraquat ...54 73 55 23,24,29

    Post emergent ...61 20

    Pre emergent ...61 20

    Fenron ...55 22

    Monuron ...55 22

    Neburon ...55 22

    2,4 D ...55 29,73 57 53

    Linuron ...55 22

    residual ...54 73

Heterocyclic compounds ...56 23

Heterogeneity ...63 94

Heterogeneous ...54 54,84 60 16

***Heterorhabditis* (see Nematodes)**

Heterotrophic biomass ...55 60

Heterozygous ...54 54

Hexenal ...57 46 58 69

Hexyl butyrate ...57 46

Histidine ...54 64,66,68,71

Holic diet ...54 62

Holidic ...59 83

***Holotrichia disparilis* Arrow (see Insect pests)**

***Homona coffearia* Neitner (see also *Lepidoptera: Tortricidae*)**

***Homona coffearia* Neitner** ...54 62

Hormones ...52 35

Host plants ...63 71

Humic..

    acid (HA) ...52 84,85 53 48 55 60

materials	...55	60
matter	...52	31,32,84 55 65
Humidity levels	...58	112,117
Humification	...52	31 53 47
Humus exhibits	...55	67
Hybrid progenies	...54	55
Hybridity	...54	61
Hybridization	...54	61
Hydrochloric	...54	63
Hydroelectricity	...53	39
Hydrogen		
cynamide	...64	70-72
ions	...57	74 60 04
Hydrolysis of urea	...55	22
Hydroperoxides	...56	85
Hydrophyllic collid	...55	67
<b>Hypoxyton (see Fungi)</b>		

## I

<b>IBA (see Auxin)</b>		
Immobilization	...54	11
<i>In vitro</i>	...59	82 61 31, 62 27, 64 12,13,15
<i>In vivo</i>	...62	27
Inactivation	...59	16
Incubation	...60	04
Indigenous China jat	...59	16
Indoleacetic acid (IAA)	...58	25
Indolebutyric acid(IBA)	...52	36-39 57 16-18,51,53,58 25
Indonesian jasmine tea	...57	65
Infectivity	...62	11,12,14,16,24
Infestation	...54	46
Infilling	...52	07,08,11,12,47,49 53,35
Information..	...58	11
links	...58	19, 20
source	...55	90 57 29 58 09,11,19
technology	...58	09
transfer	...58	22,23
Infiltration rate	...55	29,86
Infra Red Bulb	...58	56
Infra-Red(IR)tea moisture meter	...57	40
Infused leaf	...59	05
Infusion	...59	56,60
Ingredient services	...54	70
Inheritance	...54	54
Insect nutrition	...54	70
Insect Pests..		
<i>Anomala dussumeri</i> Blanchard	...57	68
<i>Anomala mundissima</i> Walker	...57	68
<i>Anomala Walkeri</i> Arrow	...57	68
Chafers or cockchafers	...53	07

<i>Geocoris ochropterus</i>	..61	40-42
<i>Helopetlis</i>	..61	24
<i>Holotrichia disparilis</i>		
Arrow	..57	68
<i>Leucopholis pinguis</i>		
Burmeister	..57	68
Mealy bugs	..53	06,08,09
<i>Microtrichia costata</i> Walke	..57	68
Scarabaeid beetles	..53	07
White grubs..	..53	07-09 57 70,72
attack	..57	68,72
Flushworm	..53	35
<i>Holotrichia disparilis</i>		
Arrow	..53	07 57 68
Red Spider mites	..61	24
Insects	..54	62 61 39
Insecticides	..54	04
Instant teas	..55	04
Instar larvae	..61	40
Inter planting	..57	01
Intermediate zone	..52	66 54 91
International standards	..59	42
Internode	..53	38
Inter-planted	..62	41
Iron	..52	27 59 34,52,56
Iron oxides	..56	38
Irrigation	..54	84
Isoleucine	..54	64,66,68,71
Isotherm	..54	82
<b>J</b>		
Jasmine..		
flower	..57	66
tea	..57	65-66
Jat	..55	28
JEDB	..52	09
Jewan	..62	46,48-52
<i>Justica procumbens</i>	..54	77
<b>K</b>		
K-Activity Ratio (AR.)	..57	76
Kaolin	..58	118,119
<b>Kaolinite (see Herbicides)</b>		
Kaolinitic clay	..55	32
Kieserite (MgSO <sub>4</sub> .H <sub>2</sub> O)	..57	38
Knowledge..	..58	10,11,24
process	..58	11
system	..58	09,11,19,21

<b>L</b>	
Labour	...52 11 58 10
Land..	
capability	...58 100
selection for replantation	...58 97
survey methods	...53 11
slides	...59 65
Land use..	...54 91 58 92
classification systems	...59 42
map series	...59 67
mapping	...58 94 59 39
planning	...58 98,99,101
plan-reconnaissance	...58 100
plan-regional	...58 100
survey	...58 94
systems	...58 99
Larval duration	...54 67,70
Latosol	...54 97
Lead acetate precipitation	...59 25
Leaf..	
apex	...54 54
area Index (LAI)	...60 47,52,79
area Ratio (LAR)	...52 68,73,75,78
area	...52 67,71 60 52,77,80
base	...54 54
callus	...59 62
clipping work	...52 62
diffusion resistance	...60 47,52
dimension	...60 48
droppings	...52 51
dry weight	...52 58,67,71
Extracts	...61 15
morphology	...52 66
patina	...54 57
pose	...54 57
shape	...54 57
size	...54 54
texture	...54 57
water potential	...60 52
<i>Lepidoptera: Tortricidae</i>	...54 62
Lepidopteran pests	...61 39
<i>Leptinotarsa decemlineata</i>	...54 70
Lesions	...52 41
Leucine	...54 64,66,68
Leucoanthocyanins	...59 24,25
<b><i>Leucopholis pinguis</i> Burmeister (see Insect pests)</b>	
Light intensity	...62 41
Lime	...60 4-8,14
Linalool..	...58 45,68
oxide	...58 67,68
Linolenic acid	...54 63,64 57 49
<b>Linuron see (Herbicides, Urea)</b>	

Lipids	...58	64	59	52	
Lipoxygenase	...58	70			
Liquor	...59	08			
Liquor characteristics	...54	28	55	54	
<b>Live wood termites (see Termites)</b>					
Live-wood termite	...62	46,	66		
Lonalool	...60	39			
Loppings	...62	42			
Loss of mass	...58	57			
Low ..					
country	...55	56,	58	50	
grown tea	...57	55			
predation	...61	42			
shoots	...64	22			
Lungs..	...52	13			
branches ring-barked	...55	96			
pruned plants(RL)	...55	97-101			
pruning	...52	13			
shoots	...55	94			
Lymantrid caterpillar ( <i>Euproctis latifascia</i> )	...61	39-42			
Lysine	...54	64,	66,	68,	71

## M

### **M. anisopliae (see Fungi)**

Maceration	...61	15		
Macro nutrients	...59	29,	30	
<b>Macrophoma (see Diseases)</b>				
Made tea	...58	111	59	04,05,52,53,56
	60	23		
Magnesium	...53	24	54	11,12,14,17
	56	36,39	57	34,35,37,
	59	04,33,35,52,53,56,60		
	60	05,07,	61	04,05
<b>Mana grass (see also Cymbopogen confertiflours)</b>				
Mana grass	...52	32,84,86-88	53	21,47,48,49
	55	69,84-86,90		
Manganese	...52	22,27	56	85
	59	04,34,52,56,60	60	05
<i>Mangifera</i> ..				
<i>caegia</i>	...56	68		
<i>indica</i>	...56	68		
<b>Manual weeding (see Weeding)</b>				
Manufacture..	...52	05,08,11	58	64,116
	60	22	63	48
Black tea	...56	83	61	15
CTC	...52	51	53	34,41
	60	22-24,	63	48
Green tea	...57	65		
Orthodox	...52	51	53	41
	61	15	63	48
	54	31,80	58	69

Orthodox-Rotorvane	...54	80
LTP	...52	51
Rotorva	...54	80
Manurial..		
aspects	...53	30
recommendations	...53	30
Market..		
intelligence	...52	50
price see also Sale price	...54	29, 30
Mass culture	...59	82
Material characteristics	...54	79
Mature		
leaf	...52	32, 84, 86-88 53 27, 49
	59	04-06
<b>McIllvaine's buffer (see also Citric acid)</b>		
-disodium hydrogen phosphate	...52	32
<b>Mealy-bugs (see Insect pests)</b>		
Mean air temperature	...64	60, 62
Mercuric Chloride (HgCl <sub>2</sub> )	...57	50 59 62
Meridic	...59	83
Metabolic ditruptors	...59	82
Metabolism	...52	28
Metaphase	...54	57
<i>Metarhizium anisopliae</i>	...63	80, 88
Methanol	...59	25
Methionine	...54	64, 66, 68, 70, 71
Methyl bromide	...53	19 56 06
Methyl esters	...54	63
Methyl salicylate	...58	67
Methyl-p-hydroxy-benzoate	...54	64
<i>Metrosideros</i> sp	...56	68
Microbial..		
activity	...56	35
gum	...55	67, 68
polysaccharides	...55	68
population	...55	30 56 12
symbionts	...54	69
Microbiological aspects	...56	12
Micro-cuttings	...57	18
Microfauna	...52	49
Microflora	...52	49
Micrometer	...54	54
Micro..		
nutrients	...58	26
organisms	...56	17, 39 59 82 62 43
Micropropagation	...55	44, 46, 47 57 16, 19 59 62, 64
<b><i>Microtrichia costata</i> Walker (see Insect pests)</b>		
Mid grown tea	...58	104
Mid-country	...52	41 58 50
<i>Mimosa</i>	...53	30
Mineral nutrient	...52	21, 27
Mineralised ammonia	...56	43, 44
Mineralization	...54	11 56 35, 46 62 43

Mineralogical	...62 53, 63
<b>Miniature dryer (see Dryers)</b>	
Miniature tea	...56 13
Mini-hydroelectric	...53 40
Minor..	
elements	...59 63
Minor export crops	...59 72
Mites	...62 46
Mixed cropping	...58 92
Modeling approaches	...61 25
Modified Hewitt's nutrient solution	...52 13, 14
Moisture..	...54 78, 79, 82 56 17, 58 5740
	58 56, 57, 87-89, 112, 113
	60 48, 52 62 42 64 44
determination	...57 40, 41
extraction	...60 48
retention capacity	...55 22
stress	...61 45, 49
Molybdenum	...52 27
Monoaxenically	...59 83
<b>Monuron (see Herbicides)</b>	
Morphogenetic features	...54 57
Morpholines	...56 23
Morphological characters	...54 55, 84 58 104 60 76
	63 97, 98
Mortality rate	...54 84
Mother leaf	...52 56, 57 61 39
Mulch	...52 07 54 94 62 43
Muriate of potash	...53 43, 45 56 35
Mycelium	...62 30
Myo-Inositol	...59 63
 <b>N</b>	
<b>NAA (see Auxin)</b>	
Naphthylacetic acid	...58 25
Nationalization- plantations	...58 97
Natural enemies of tea pests	...61 39
Natural vegetation	...58 96
<b>Neburon (see Herbicides)</b>	
Nem	...62 47, 48, 50
Nematicides	...56 96, 97
Nematodes..	...52 41, 54 , 55 53 21 58 84, 85
	62 07-50, 52 63 78
Entomopathogenic	...62 66
infestation	...53 19 56 95 59 82
inoculum level	...58 84
population	...58 83
Burrowing	...59 82
Eeelworm	...54 46 56 95 58 84
Heterorhabditis	...62 11, 13, 17 63 78, 80, 82, 90, 91

Pathogenic	...58	83
Parasitic	...62	46
Root-lesion	...52	41 53 19
Root knot nematode	...59	83
<i>Pratylenchus loosi</i> loof	...52	55 53 19,21 56 95
	58	83 62 47 -49
<i>Pratylenchus minyus</i>	...59	83
<i>Radophlus similis</i>	...58	83,85
Net Assimilation Rate (NAR)	...52	64,65,68,73,78
Neutralizable acidity	...60	04
New clearings	...52	07
Nickel salts	...56	23
<i>Nicotiana tobacum</i>	...53	47
Nitrate..	...54	12 55 32
Nitrogen	...56	43-45
Nitrification	...53	43 54 11
Nitrifiers	...56	44
Nitrogen	...52	14,17,19,22-29,31
	53	24,25,27,31,32,43,46-49
	54	11,12,14 55 32,71,73,81
	56	35,36,45 57 05,34,38
	59	52,53,56
<b>Nitrogen fertilizer (see Fertilizer)</b>		
Nodal explants..	...55	46 57 53
mother leaf	...52	62
Nodes	...59	62
Non..		
humic matter	...55	67
dolomitic	...62	53,54,58,64
enzymic oxidation	...56	83-85
fermented form of tea	...57	65
humic fraction(NHF)	...52	86 53 48
parametric characters	...54	55
photosynthetic	...52	71
pollarded	...62	44
steroidal amines	...54	04
North-east monsoon	...56	65
<b>NPK fertilizer (see Fertilizer)</b>		
Nursery..	...52	35 61 39
conditions - Standard	...60	77
plants	...56	95 60 76,78,79,83,86
Nutrient requirements	...52	21
Nutrients..	...52	27,28 53 27 59 29,30,52
	62	42
status	...59	29

**O**

<i>Olidonychus coffeae</i>	...59	09,14
Oligidic	...59	83
Optimal growth..	...54	62
harvesting frequency	...55	15
Organic..		
acids	...55	32
carbon	...52	32,33 53 33 55 32 56 36
	57	12 60 06,61 20
colloids	...56	38
humic fractions	...52	88
matter(OM)	...53	31,33,35,49 55 30,68,69
	60	14 62 42
mulches	...52	82
sulphur	...56	35
Organisms	...54	10
Organizational system	...58	11
Organoleptic	...60	40
Orthodex black tea	...52	08
<b>Orthodox manufacture see (Manufacture)</b>		
Orthoquinones	...58	65,70
Osmotically	...54	69
Out-turn made tea to green leaf	...56	87
Oven method	...54	80
<i>Oxalis latifolia</i>	...54	77
Oxidation	...59	64
polyphenols	...58	116
Oxides	...58	66
Oxidized polyphenols	...55	05,08 59 16
<b>Oxisols (see soils)</b>		
Oxycarboxin	...56	23
Oxydation	...56	85
Oxyfluorfen	...54	73,74 56 42

**P**

<i>P. hypolateritia</i>	...56	06
<b>P.Loosi (see Nematodes)</b>		
Pan evaporation	...60	64 56 59,87
<i>Panicum maximum</i>	...55	84-88
<i>Panicum Repens</i> (L.) Beauv	...58	118
<b><i>Panicum Repens</i> (L.) Beauv (see also Couch grasses)</b>		
Panning	...59	20
<b>Paraquat (see Herbicides)</b>		
Parasites	...54	10 62 42
Parasitic	...59	82
<b>Parasitic nematodes (see Nematodes)</b>		
Parental..		
stock	...54	54
type	...54	55
Particle size	...55	30 58 87
Passenger bush	...54	06

Patana	...58	96		
Pathogenicity	...53	19	58	83,84
Patina	...54	55		
Pectase	...58	70		
Pekoe	...59	52,56		
Pencil thickness	...56	10,11		
<i>Penicillium corylophilum</i>	...56	17		
<i>Penicillium citrinum</i>	...56	17		
Penman-Monteith equations	...60	64		
Pepper	...59	37		
Peptide chains	...54	69		
Percentage aggregation	...55	34		
Perennial..	...54	84		
crops	...58	94	59	24
Perennial weed	...61	40		
Perennial woody plants	...52	65		
<b>Perennial grasses (see Grasses)</b>				
<b>Perennial weeds (see Weeds)</b>				
Periodical Monitoring	...59	43		
Pest..	...52	06,08	56	22,57 62 46
Root pest of tea	...59	82		
Colonization & distribution	...61	24		
composition..	...63	70		
control	...61	25		
management	...52	07		
tolerance	...52	07	60	22
Pesticides	...62	47	63	71,77
Petioles	...59	62		
<b>pH (see also Soil Acidity)</b>				
pH	...53	31	56	38,42 55 32 57 75
Phaeiohytin	...55	74		
Phaeophorbide	...62	32		
Phaeophytin	...62	32		
Phago..				
inhibitory	...54	68		
stimulant	...54	70		
Phenol..	...52	31-34	53	47-49
residues	...52	84,88		
Phenolic..				
acid	...59	24		
contents	...52	84		
polymers	...55	62		
Phenylalanine	...54	64,66,70,71		
Pheromone activity	...59	82		
<b>Phomopsis (see Disease, root)</b>				
Phosphorus	...52	22,25,27	53	31 56 36,37
	...59	30,33,53,56		
Phosphate..	...53	30, 31	56	35-39 57 38
applications	...53	30		
Photosynthesis	...52	18	54	23-25 55 94 56 48
Photosynthetic...	...62	43		
activity	...52	66		
efficiency	...55	72		

Phyllochrom	...64	51, 52
Physicochemical parameters	...54	26
Physiographic regions	...58	99
Phytoalexins	...64	05, 06, 10
Phytochormones	...55	100
Phytotoxicity	...54	73, 74 58 118, 122
<i>Pinus</i> sp.	...56	68, 81
Piperazines	...56	23
Plant growth..		
analysis	...52	77
regulator	...64	67, 73
Plant..		
nutrient	...57	73
parasitic nematodes	...59	82
residues	...52	84 53 48
sulphur	...55	79
tissues	...59	64
Plantation sector	...52	09
Planters	...52	08
Planting..	...52	07, 08, 11 59 67 61 20
materials	...52	06 60 16
Plant-N	...53	49
Ploidy level	...54	61
Ploygenic effect	...54	57
Pluck analysis	...55	16
Plucker	...55	15, 16,
Plucking..	...52	11, 47 54 25 55 14, 15 59 67
standards	...53	36
table	...53	36
Podzolic	...56	36
Pollen..	...54	55
fertility	...54	55, 57
germination	...54	55
tube growth	...54	55, 57
Poly-clonal seedlings	...52	07
<i>Polygonum capitatum</i>	...54	77
<i>Polygonum nepalense</i>	...54	77
Polymerisation	...58	116
Polymetric proanthocyanidrins	...55	05
Polynomial regression ..		
analysis	...52	64, 65
equation	...52	67
Polyphagous predators	...61	39, 40, 42
Polyphanum orientale Wall (Polygonaceae)	...61	40
Polyphenol..		
gallates	...55	11
oxidase	...57	24 58 65, 69, 70 61 15-17
Polyphenolic..	...56	85 58 77
Polyphenols	...53	47 54 18, 28 55 11 57 24
	58	65, 74-76, 114, 115
	59	16, 17, 24, 25 62 04
Polyploidization	...54	54, 61

polysaccharides	...52 25 55 97
Poly-unsaturated	...58 70
Polyvinyl pyrrolidone (PVP)	...59 62,64
Population	
density	...64 21
dynamics	...59 09
level	...58 84
model	...61 20,28,30
<i>Poria</i>	...56 05-07,09,10
<i>Poria hypolateritia</i>	...52 52
Porosity	...57 13
<b>Post emergent (see Herbicides)</b>	
Post prune cultivation	...64 76
<i>Postelectrotermes militaris</i>	...56 67-70,78,80,81 62 66,67
Post..	
embryonic	...61 40
harvest handling	...56 85
Potash	...52 08,50 53 30-33,38 57 38
Potassium..	...52 22,24,25,27 53 24,31,32,44
	54 11,12,14 55 22,71,73,74
	56 36,37 57 34,73,74,78,80
deficiency	55 36 59 33,52,53,56,60
	60 05,07 61 04,05
<b>Potassium fertilizers (see Fertilizer)</b>	
Potential..	
importance	...54 54
evaporation	...56 59
PP 969	...56 24,25
<b>Praire grain wire worm (see also Ctenecera destructor)</b>	
Praire grain wire worm	...54 70
<b>Pratylenchus loosi loof (see Nematodes)</b>	
<b>Pratylenchus minyus (see Nematodes)</b>	
<b>Pre emergent (see Herbicides)</b>	
Precursor	...54 70
Predators	...54 10 61 41 62 42 63 78
Predatory efficiency	...61 41,42
Prediction equations	...60 64
Predisposing factor	...52 55
Pre-emergent herbicides	...56 39
Pre-weed-emergent	...54 73
Priestly-Taylor equation	...60 64,65
Primary branches	...54 06
Procedure	...54 54
Process engineering technology	...52 08
<b>Processing (see Manufacture)</b>	
Product diversification	...52 08
Production	...52 06-09,11 58 10 60 22
Productivity	...52 05,06
Progency	...52 07 54 54
Progenies	...54 61
Proliferation	...59 64
Proline	...54 64,70
Propagation..	...59 62,64

polysaccharides	...52 25 55 97
Poly-unsaturated	...58 70
Polyvinyl pyrrolidone (PVP)	...59 62,64
Population	
density	...64 21
dynamics	...59 09
level	...58 84
model	...61 20,28,30
<i>Poria</i>	...56 05-07,09,10
<i>Poria hypolateritia</i>	...52 52
Porosity	...57 13
<b>Post emergent (see Herbicides)</b>	
Post prune cultivation	...64 76
<i>Postelectrotermes militaris</i>	...56 67-70,78,80,81 62 66,67
Post..	
embryonic	...61 40
harvest handling	...56 85
Potash	...52 08,50 53 30-33,38 57 38
Potassium..	...52 22,24,25,27 53 24,31,32,44
	54 11,12,14 55 22,71,73,74
	56 36,37 57 34,73,74,78,80
deficiency	55 36 59 33,52,53,56,60
	60 05,07 61 04,05
<b>Potassium fertilizers (see Fertilizer)</b>	
Potential..	
importance	...54 54
evaporation	...56 59
PP 969	...56 24,25
<b>Praire grain wire worm (see also <i>Ctenecera destructor</i>)</b>	
Praire grain wire worm	...54 70
<b><i>Pratylenchus loosi</i> loof (see Nematodes)</b>	
<b><i>Pratylenchus minyus</i> (see Nematodes)</b>	
<b>Pre emergent (see Herbicides)</b>	
Precursor	...54 70
Predators	...54 10 61 41 62 42 63 78
Predatory efficiency	...61 41,42
Prediction equations	...60 64
Predisposing factor	...52 55
Pre-emergent herbicides	...56 39
Pre-weed-emergent	...54 73
Priestly-Taylor equation	...60 64,65
Primary branches	...54 06
Procedure	...54 54
Process engineering technology	...52 08
<b>Processing (see Manufacture)</b>	
Product diversification	...52 08
Production	...52 06-09,11 58 10 60 22
Productivity	...52 05,06
Progency	...52 07 54 54
Progenies	...54 61
Proliferation	...59 64
Proline	...54 64,70
Propagation..	...59 62,64

of tea vegetatively	...61	46
Protein source	...54	63
Proteins	...59	52, 56
Pruning..	...52	08, 17, 31, 47, 55
	53	32, 34-36
	54	06, 23, 24
	55	14, 28, 94, 96
	61	20
	63	71
	64	67, 76
clean	...55	96
cycle	...53	36
height	54	05, 25
weights	60	77
post	61	146, 47
Skiff	...55	16, 88
Punched disc methods	...61	47-49
Pupae	...64	76, 80
Pupal weights	...53	36, 38
Pure cultures	...52	67
Purification	...54	70
Purified humic fractions	...54	67
Purity	...59	82
Pyracarbolid	...52	86
Pyridines	59	27
	...52	86, 87
	...54	63
	...56	06
	...56	23

## Q

Quality..	...52	11
	54	27, 28, 30
	55	56
	59	67
	58	41, 111, 113, 116
	60	22, 25, 28, 36
	62	04
clone	...61	45
standards	...54	27
Quarterly yield trends	...61	47
Quick lime	...60	04
Quinones	...56	85

## R

Radiation	...60	48, 52
<b>Radophlus similis (see Nematodes)</b>		
<i>Radophlus similis</i>	...62	48
Rainfall..	...54	91
	55	82
	56	59, 63, 65, 88
	61	48
annual	...54	84
Randomized Complete Block		
Design	...60	23
Rate of extension of tea shoots	...64	21
Ratio L/W	...54	54
RCL bridge	...58	56
<b>Reconditioned soil (see soil)</b>		
Recovery from pruning	...52	18
Red Leaf Picking	...57	55
<b>Red root disease (see Disease, root)</b>		
<b>Red spider mite (see also <i>Olidonychus coffeae</i>)</b>		
Red spider mites	...61	39-42

**Red spider mites (see Insect pest)**

Red yellow podzolic	...52 31 53 47
Refuse tea	...52 51 56 14 59 06-08, 52, 53,
Regeneration	...59 62
Regression coefficients	...56 88
Rehabilitation..	...52 09 55 89-91, 93
using grasses	...55 84
Rejuvenation..	...52 12 53 35
pruning	...53 34-36
Relative..	
growth rate (RGR)	...52 64, 65, 68
quality	...54 29
Remote sensing techniques	...59 39
Renewable sources	...53 39
Replanting	...52 06, 07, 11, 12, 47 54 95 55 89
Reserve metabolism	
as carbohydrates	...52 21
Residual herbicides	...54 73
Resistant..	
clone	...52 41 58 50
insect pests	...58 50-52
borer colonization	...54 09
<b><i>Reticulitermes santonensis</i> (see Termites)</b>	
<i>Rhizopus stolonifer</i>	...56 17
Rim blight	...55 96
Rim-lung type	...55 16
Ring barking (RL-R)	...53 04, 05, 07-10 55 97-101
Rock phosphate	...56 35-36
Roll breaking	...59 21 63 48, 49
Rolling..	...58 111 59 20
Roll Breaking	...63 48, 49
Root..	
carbohydrate reserves	...53 34
distribution	...60 47, 54
growth	...58 83
influence	...55 94
initiation	...57 16
reserve(s)	...54 09 55 97
respiration	...52 18
Root-rot	...52 53
shoot interaction	...55 99
weight	...58 84, 85
wood reserves	...55 99
<b>Root diseases (see Diseases-Root)</b>	
<b>Root knot nematode (see Nematode)</b>	
<b>Root-lesion nematode (see Nematode)</b>	
<b>Root pest of tea (see Pest)</b>	
Rooting..	...52 35, 37
medium	...57 17
pattern	...60 85
Rootone	...52 36, 37
Roots	...58 84

**Rosellinia see (Diseases, root)**

Rotating barrel	...59 17,19
<b>Rotorvane manufacture (see Manufacture)</b>	
Rotronic - Hydroskop DT	...58 87
Rotronic Hygroskop DT	...54 79,80
<i>Rotylenchulus reniformis</i>	...62 48
Rubber..	
plantation	...58 94
wood	...64 43

**S**

<i>Saccharum officinarum</i>	...55 85
Sale price	...54 29
Saponin	...54 04,05
Saturation deficit of air	...64 53-57,60,62
Saturation vapour pressure	
deficits (SVPD)	...64 22,26,27,29,30-32
<b>Scarabaeid beetles (see Insect pests)</b>	
Scavenging termites	...58 104,105
<b>Scolytid beetles (see Beetles)</b>	
Scrub	...59 65
Seasonal teas	...54 29
Seedling..	...52 07,08
bushes	...61 47
population	...60 76,77 63 96
tea	...52 11 54 84,93 55 53 59 67
	63 97
Segmentation procedure	...52 65
Selection	...60 16-18
Selection criteria	...52 06 60 86 63 94
Semi..	
permanance	...63 71
endoparasitic	...52 41
humid	...54 91
Serine	...54 65,67,70
<i>Sesbania</i>	...62 45
<i>cinerescens</i>	...62 46
Shade	...52 23,49,50 62 41
trees	...52 07,09,11,47 59 67,62 25
	63 71
Shifting cultivation	...58 92
Shoot..	...55 14 58 84 59 62-64 60 77
	61 46
bud cultures	...64 13
density	...52 66 55 15
extension rates (SER)	...64 27,29
growth	...52 29 61 20
length	...61 20,77
population density	...64 21,24,25,31
replacement cycle (SRC)	...64 51-54,56,60
tip explants	...55 46

water potential	...64	23,24			
<b>Shot-hole Borer (see Beetles)</b>					
Side shoots	...52	59			
Sieve shaker	...58	87			
Sifting	...58	113-115	59	21	
Significant difference	...54	68			
Silicon	...54	12			
Silkworm	...54	70			
Silt fractions	...62	53,64			
Simazine	...54	73			
Simultaneous	...54	79			
Single node cutting	...61	46			
Size of shoots harvested	...64	21			
<b>Skiff prune (see pruning)</b>					
Skoog's medium	...64	12			
SLA	...52	64,68			
Slaked lime	...60	04			
Slops	...53	11,12			
SLSPC	...52	09			
Small holders	...52	08			
Social system	...58	09,11			
Socio-economic	...52	27			
Sodium..	...58	10	59	35	
benzoate	...54	64			
<b>Soft root rot see (Diseases, root)</b>					
Soil..	...52	31,33,34	54	91	55 23 56 38
	59	04	60	04,05	61 04,07,20
acid	...55	67			
acid sandy	...61	20			
acidity..	...52	87,88	55	22	54 12,17 57 35
	60	04	61	04	
pH	...53	31	56	38,42	55 32 57 75
Alfisols	...54	91			
analysis	...53	32			
fertility	...52	50,82,83			
Chemical characteristics	...61	04			
condition	...60	22			
conservation	...52	47,82	53	33	59 67
erosion	...52	49,81-83	54	91,94	55 22
		58	92,96	59	65 62 44
fractions	...62	57,58			
fertility	...53	28			
fuels	...52	11			
fumigated	...56	06,96	58	84	
humic constituents	...52	84			
humus	...55	58			
irrigation	...53	30,31			
magnesium	...57	34			
moisture	...52	83	56	59	57 09 60 48,52
	64	21-24,30-32			
Nitrogen	...56	46			
nutrients	...61	04, 06			
Organic Matter (SOM)	...55	58,60,69,78	56	35	57 09

Oxisols	...54	91		
Physical characteristics	...61	04,06		
physical properties	...64	76		
pH	...56	38	60 05,06, 61	04,05
plant-K interactions	...57	74		
polyphenols	...52	32,33		
polysaccharides	...55	67		
profiles	...62	53,54,57,58		
properties	...55	28,29		
reaction	...61	04		
reconditioning	...55	85,86,89		
rehabilitation	...55	89		
Structure	...55	68		
sulphur	...55	78		
temperature	...57	09	58	84
topsoil	...52	81,82	54	93
type	...58	101		
Ultisols	...54	91,93	55	28,29,34
Solar..	...53	40		
collectors	...64	49		
<b>Solar energy for tea drying &amp; withering (see Energy)</b>				
Soldiers	...58	104		
Soluble..				
polyphenols	...59	60		
solids	...54	30	55 08	60 41
sugars	...52	25		
Nitrogrn	...58	75,76		
Solution soak method	...52	39		
Sorondi	...52	81		
Sorting	...59	21		
Sorting and Packing	...63	48,81		
South India	...53	29	61	45
South-west monsoon	...56	65		
Spices	...58	92	59	65
Stability	...54	79		
Staining	...54	55		
Stalk	...57	55	60	39
Starch	...52	19,25		
Statistical overview	...59	72		
Steam	...53	41		
Steinermema..	...62	11,13,17	63	78,89,90,92
<i>carpocapsae</i>	...63	81		
Stem..	...53	40	59 62	60 83
callus	...55	46		
canker ( <i>Macrophoma</i> )	...55	57		
girth	...60	80		
Stimulant	...58	64		
Stomatal..	...55	36		
density	...54	54,55,57	60	47,53
Storage of black tea	...56	12		
Strach-based holic diet	...54	68		
Strength	...54	28		

Strong thick	...54	27
<i>Stylosanthes</i>	...52	82
Sucrose	...59	63
<b>Sugar cane (see also <i>Saccharum officinarum</i>)</b>		
Sugar cane	...55	85
<b>Sulphate of ammonia (see Fertilizer)</b>		
Sulphur..	...55	77-81 56 35-38
deficiency	...55	78
<b>Sulphur nutrition (see Fertilizer)</b>		
Sun-scorch damage	...54	24
Surface runoff	...54	95
Surface wax	...55	37
Survey maps	...53	11
Susceptibility	...52	41 59 09
Symbionts	...54	69
Symposium	...52	46 53 28
Synthesis of amino acid	...52	18
Synthesized carbohydrate	...52	19
Synthetic diet	...54	63

## T

Tannase	...55	11
<b>Tea processing (see Manufacture)</b>		
<b>Tea soil (see Soil)</b>		
Tea..		
bag	...59	04,06
based products	...52	05
brews	...59	04,06-08,52,53,56,60
character	...55	54,82
cordials	...55	04
country	...58	92
cream	...55	04,05,11
cultivation areas	...59	37
estates	...56	48
fermentation	...56	85
flavanols	...57	24
fluff	...59	06-08,52,53
growing regions	...62	53,54
industry	...63	46
leaf surface	...55	37
leaves	...59	05,06,08,29,34-35,60
liquor	...59	04,52,56
micro cuttings	...64	12
nursery	...61	42
pests	...61	39
pests- Bangladesh	...63	70-77
pest interaction matrix	...63	73
plantation	...58	94
plants	...52	57
polyphenols	...55	11 56 83,85
proceeding	...64	46

production	...52 46,50 53 29
production in Bangladesh	...61 24
quality	...54 27
sherry	...55 04
shoots	...53 49 59 29
shoot tips	...52 32,84,86,87,88
stem	...56 70
termite	...62 17
tortrix..	...54 62,69
Adult emergence	...54 68
Technical information	...58 21-23
Technology	...52 05
<i>Tectona grandis</i>	...56 68,81
Temperature	...59 63 61 15,17,18 62 41
<i>Tephrosia</i> ..	...62 45,46
<i>vogelii</i>	...53 06 56 67
Terminal shoots	...58 73 64 13
Termites..	...52 07,08 58 104 61 24,25
	63 74-79
Live wood	...52 07 56 67 58 104,105
<i>Reticulitermes santonensis</i>	...63 78-92
<i>Zootermopsis</i>	...63 78,79,88,90
Test Tube Culture	...54 04
Tetraploid	...54 55,57,61
Texture	...54 55
Thatching	...52 07 55 86
Thearubing ratios	...53 36
Theaflavin gallate	...55 05,11
Theaflavins (TF)	...53 36 54 28,29,31
	55 05,08,11 56 83,84,85
	58 41,65,67,69,70,115
	59 25,56 60 39,40
	...54 28 55 05,08 56 84,85
Thearubigins (TR)	
<b>Thermal Energy (see Energy)</b>	
Thermophiles	...56 17
Therracing	...59 67
Thiabendazol	...56 06,10
Thiamine HCl	...59 63
Third leaf	...53 27
Threonine	...54 64,66,68,70
Thrips ( <i>Scytothrips dorsalis</i> Bagnall)	...61 39,40
Thrips	...62 46
Thumbnailing	...52 57,58
Tipping..	...52 55 53 36 54 25 55 16 61 49
weights	...55 85,86 61 46,49 64 71-72
Tissues..	...54 69 59 64
browning	...54 21
culture	...54 18 55 44,47 57 16,20
	59 62,82
Tobacco	...52 32,84,86-88 53 47-49 59 65
Total..	
colour	...54 30

exchangeable bases (TEB)	...60	05,06
pore space	...55	34
potassium	...55	75
Totrix larvae	...54	63
Toxic..	...59	60
chemicals	...52	08
defence chemicals	...61	42
metals	...59	52,60
Toxicions	...59	04
Toxicity	...54	70
Traditional packaging	...52	11
Trans-2-hexenal	...57	46 60 39
Transfer of knowledge	...58	09
Transpiration..	...55	36 60 48,64
rate	...60	54
Trapping crops	...62	42
Triadimefon	...56	06,25,26,28,33
Triazoles	...56	23
Trickle irrigation	...54	84
Tridemorph	...56	06,07,10,23-26,30
<i>Tripsacum lauxm</i>	...53	47 55 69,84-88,90 64 76
Tritrophic chain	...61	42
<b>Tropical rain forest (see Forest)</b>		
Tropical wood	...56	70
Trosine	...54	70
True humic matter (THM)	...53	48,49
Tryptophan	...54	64,66,68,71
Tween	...57	50
<i>Tylenchus similis</i>	...52	41
Tyrosine	...54	63,64,67,70

## U

<b>Ultisol (see soils)</b>		
Ungraded black tea	...56	13
Up country..		
tea areas	...55	55
Wet Zone	...60	77
Upper catchment of the mahaweli	...59	72
Uprooted	...52	06,08
Urea..	...53	23,24,26,31 54 11,12,14
fertilizer	55	22-24,77,78 56 35,36 57 05
Nitrogen	...55	22
Urease ..	...54	12,14 55 23
activity	...54	12 55 23,24
Uva..	...52	31
season	...58	50
	...58	43

## V

Valine	...54	64,66,68,71
--------	-------	-------------

Valuation	...54	28
Vapour pressure	...54	79
Vegetables	...59	65
Vegetation	...54	91
Vegetative phase tea bushes	...55	14
Vegetative propagation	...54	84 60 16
Vermiform	...52	41
<b>Vibro Fluid Bed Dryers (see Dryers)</b>		
Vigorous growth	...52	19
Viola spp.	...54	77
<b>Virgin rain forest (see Forest)</b>		
Vitamins	...55	77 59 52, 60
Volatile flavour compounds (VFC)	...58	64, 65, 68
Volatiles	...58	40 60 40
Volumetric water content	...55	29
<b>W</b>		
Waste Lands Ordinance	...58	94
Water activity..	...60	47
capacity	...57	13
Depletion Curves	...60	48
holding capacity	...55	23 56 42 64 79
retention	...55	29, 34
shades	...52	07, 11
distilled	...54	64
Wax constituents	...55	40
Weather	...52	55 56 49, 58
Weed..	...55	28 62 44
Perennial	...58	118
scraper	...52	81
species	...54	77
killer	...54	73
Weed control..	...52	81, 82 55 28 61 20
chemical	...54	73 55 22
manual	...52	81
Weeding- Manual	...55	22, 32
Weeding-Chemical	...55	32
<b>Weeping love grass (see also Eragrostis curuvla)</b>		
Weeping love grass	...55	84-88 64 76
Weight of prunings	...55	19
Wesson's salt mixture	...54	64
West Indian coffee	...58	92
Wet matter layer	...58	57
Wet zone	...58	99
Wheat starch	...54	64
<b>White grub (Holotrichia sp.) see (Insect pests)</b>		
White mycelium	...52	53
Wind..	...53	07, 40
damage	...53	08, 09
Winged alates	...58	104

Withered flush ...56 83  
Withering ...53 39 58 111,112 60 30  
63 48-52,56,59 64 35,46,49

Wood..

combustion system ...64 48  
fired air heaters ...63 57  
gasification ...63 63  
rot ...52 08,52 54 05,08,09,24  
Wooden chests ...52 11  
Woody plants ...59 62

**X**

*Xanthium pennsylvanicum* ...57 60  
XRD ...62 54, 63

**Y**

Yield ...52 06,07,09,11,67,86  
53 11,12 55 16,18,54,57 59 67  
60 22,27,28,76-81 61 46-50  
63 97,99,104 64 21,67-74,  
76,79  
Young tea ...63 94

**Z**

Zinc.. ...52 27 59 34,53,56  
acetate ...54 05  
Zinc sulphate see Fertilizer  
*Zootermopsis* see Termites  
*Zygia jiminga* ...56 68